Index to Volume 32

*Author index**

A

Aarts NJM (*see* Schurink et al). 2000;32:795-803
Abbate R (*see* Brunelli et al). 2000;32:531-6
Abbott WM (*see* Chang et al). 2000;32:524-30
Abbott WM (*see* Dai et al). 2000;32:977-87
Abdel-Al N (*see* Tsai et al). 2000;32:32-6
Abernathy S (*see* Buckley et al). 2000;32:731-8
Abou-Zamzam AM Jr (*see* Foley et al). 2000;32:37-47
Abul-Khoudoud O (*see* Criado et al). 2000;32:684-8, 1137-41
AbuRahma AF, Choueiri MA. Cranial and cervical nerve injuries after repeat carotid endarterectomy. 2000;32:649-54
AbuRahma AF, Robinson PA, Jennings TG. Carotid-subclavian bypass grafting with polytetrafluoroethylene grafts for symptomatic subclavian artery stenosis or occlusion: a 20-year experience. 2000;32:411-9
AbuRahma AF, Robinson PA, Mullins DA, Holt SM, Herzog TA, Mowery NT. Frequency of postoperative carotid duplex surveillance and type of closure: results from a randomized trial. 2000;32:1043-51
Adam DJ (*see* Evans et al). 2000;32:258-62
Adam DJ (*see* Stuart et al). 2000;32:138-43
Adelman MA (*see* Rockman et al). 2000;32:1062-70
Adler F (*see* Coady et al). 2000;32:192-6 (Case rep.)
Akasaka N (*see* Azuma et al). 2000;32:789-94
Akbari CM (*see* Faries et al). 2000;32:1080-90
Allan P (*see* Bradbury et al). 2000;32:921-31
Allan PL (*see* Stuart et al). 2000;32:138-43
Allroggen H (*see* Naylor et al). 2000;32:750-9
Andreozzi GM (*see* Verlato et al). 2000;32:293-8
Andrews JC (*see* Panneton et al). 2000;32:711-21
Arbaugh JJ (*see* Wladis et al). 2000;32:997-1005
Arena GO (*see* Cinà et al). 2000;32:1208-14
Arko FR (*see* Buckley et al). 2000;32:731-8
Arons R (*see* Heller et al). 2000;32:1091-101
Arora S (*see* Faries et al). 2000;32:1080-90
Arora S (*see* Weber et al). 2000;32:1118-26
Arulchelvam M (*see* May et al). 2000;32:124-9
Ascher E, Hingorani A, Tsemekhin B, Yorkovich W, Gunduz Y. Lessons learned from a 6-year clinical experience with superior vena cava Greenfield filters. 2000;32:881-7
Ashrafi A (*see* Treiman et al). 2000;32:1180-9
Atnip RG (*see* Blebea et al). 2000;32:364-73
Azuma N, Duzgun SA, Ikeda M, Kito H, Akasaka N, Sasajima T, Sumpio BE. Endothelial cell response to different mechanical forces. 2000;32:789-94
Azuma N (*see* Sasajima et al). 2000;32:374-82

B

Back MR, Wilson JS, Rushing G, Stordahl N, Linden C, Johnson BL, Bandyk DF. Magnetic resonance angiography is an accurate imaging adjunct to duplex ultrasound scan in patient selection for carotid endarterectomy. 2000;32:429-40
Badimon JJ (*see* Reis et al). 2000;32:1022-9
Baker JD (*see* de Virgilio et al). 2000;32:77-89
Baker WH (*see* Labropoulos et al). 2000;32:663-8, 954-60
Bandyk DF (*see* Back et al). 2000;32:429-40
Barcia TC (*see* DePalma et al). 2000;32:913-20
Barker C (*see* Criado et al). 2000;32:684-8, 1137-41
Barker CF (*see* Valazquez et al). 2000;32:777-88
Bassiouny HS (*see* Fortunato et al). 2000;32:555-63
Bauer M (*see* Knosalla et al). 2000;32:1034-7
Baum RA (*see* Valazquez et al). 2000;32:777-88
Bechtel G (*see* Bove et al). 2000;32:697-703
Becker D (*see* Hammer et al). 2000;32:392-6 (Case rep.)
Becker F (*see* Bove et al). 2000;32:697-703
Becquemin JP (*see* Harris et al). 2000;32:739-49
Beierwaltes WH (*see* Shin et al). 2000;32:1015-21
Beitler J (*see* Kwei et al). 2000;32:397-401 (Case rep.)
Bell PRF (*see* Crowther et al). 2000;32:575-83
Bell PRF (*see* Hayes et al). 2000;32:299-306
Bell PRF (*see* Naylor et al). 2000;32:750-9
Bellati C (*see* Ciardullo et al). 2000;32:544-9
Belott TP (*see* Jackson et al). 2000;32:498-505
Bendick PJ (*see* Bove et al). 2000;32:697-703
Bergan JJ (*see* Chandler et al). 2000;32:941-53
Bergelin RO (*see* Meissner et al). 2000;32:48-56, 870-80
Bernardi E (*see* Verlato et al). 2000;32:293-8
Berrino F (*see* Ciardullo et al). 2000;32:544-9
Berry MA (*see* Raju et al). 2000;32:969-76
Bertges DJ, Rhee RY, Muluk SC, Trachtenberg JD, Steed DL, Webster MW, Makaroum MS. Is routine use of the intensive care unit after elective infrarenal abdominal aortic aneurysm repair necessary?. 2000;32:634-42
Bevacqua E (*see* Mastroroberto et al). 2000;32:408-9 (Letter)
Beven EG (*see* Rizzo et al). 2000;32:602-6 (Case rep.)
Bhattacharya V, Shi Q, Ishida A, Sauvage LR, Hammond WP, Wu MHD. Administration of granulocyte colony-stimulating factor enhances endothelialization and microvessel formation in small-caliber synthetic vascular grafts. 2000;32:116-23
Bhirangi K (*see* Oderich et al). 2000;32:760-9
Blättler IK (*see* Blättler et al). 2000;32:855-60
Blättler W, Kreis N, Blättler IK. Practicability and quality of outpatient management of acute deep venous thrombosis. 2000;32:855-60
Blättler W (*see* Partsch and Blättler). 2000;32:861-9
Blebea J, Mazo JE, Kihara TK, Vu JH, McLaughlin PJ, Atnip RG, Zagon IS. Opioid growth factor modulates angiogenesis. 2000;32:364-73
Bode MK, Soini Y, Melkko J, Satta J, Risteli L, Risteli J. Increased amount of type III pN-collagen in human abdominal aortic aneurysms: evidence for impaired type III collagen fibrillogenesis. 2000;32:1201-7
Bohannon WT (*see* Karch et al). 2000;32:676-83
Boivin P, Cornu-Thenard A, Charpak Y. Pregnancy-induced changes in lower extremity superficial veins: an ultrasound scan study. 2000;32:570-4
Boudoux C (*see* Dion et al). 2000;32:1006-14
Bove PG, Long GW, Zelenock GB, Bendick PJ, Khoury MD, Burr MO, Bechtel G, Becker F, Huckabone C. Transrenal fixation of aortic stent-grafts for the treatment of infrarenal aortic aneurysmal disease. 2000;32:697-703
Bower TC (*see* Panneton et al). 2000;32:711-21
Bradbury A, Evans CJ, Allan P, Lee A, Ruckley CV, Fowkes FGR. The relationship between lower limb symptoms and superficial and deep venous reflux on duplex ultrasonography: the Edinburgh Vein Study. 2000;32:921-31

*July 1-218; August 219-410; September 411-626; October 627-832; November 833-1042; December 1043-1282.

Bradbury AW (*see* Evans et al). 2000;32:258-62
Bradbury AW (*see* Stuart et al). 2000;32:138-43
Breslau PJ (*see* Burger et al). 2000;32:278-83
Brophy C (*see* Pipkin et al). 2000;32:205-8 (Case rep.)
Bruin G (*see* Cinà et al). 2000;32:1208-14
Brunelli T, Prisco D, Fedi S, Rogolino A, Farsi A, Marcucci R, Giusti B, Pratesi C, Pulli R, Gensini GF, Abbate R, Pepe G. High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm. 2000;32:531-6
Buckley CJ, Abernathy S, Lee SD, Arko FR, Patterson DE, Manning LG. Suggested treatment protocol for improving patency of femoral-infrapopliteal cryopreserved saphenous vein allografts. 2000;32:731-8
Buckman J (*see* Labropoulos et al). 2000;32:954-60
Burg G (*see* Hafner et al). 2000;32:322-9
Burger DHC, Kappetein AP, van Bockel JH, Breslau PJ. A prospective randomized trial comparing vein with polytetrafluoroethylene in above-knee femoropopliteal bypass grafting. 2000;32:278-83
Burger H (*see* Lemson et al). 2000;32:1155-63
Burkey SH, Vazquez MA, Valentine RJ. De novo renal artery aneurysm presenting 6 years after transplantation: a complication of recurrent arterial stenosis?. 2000;32:388-91 (Case rep.)
Burnand KG (see Waltham et al). 2000;32:988-96
Burnham CB (*see* Passman et al). 2000;32:669-75
Burnham SJ (*see* Passman et al). 2000;32:669-75
Burr MO (*see* Bove et al). 2000;32:697-703
Bush HL Jr (*see* Heller et al). 2000;32:1091-101
Bush HL (*see* Patel et al). 2000;32:247-57
Bush RL (*see* Lin et al). 2000;32:607-11 (Case rep.)
Busonera F (*see* Verlato et al). 2000;32:293-8

C

Cafferata HT (*see* DePalma et al). 2000;32:913-20
Cahan MA, Hanna DJ, Wiley LA, Cox DK, Killewich LA. External pneumatic compression and fibrinolysis in abdominal surgery. 2000;32:537-43
Cahn M (*see* Li et al). 2000;32:804-13
Calligaro KD (*see* Dougherty et al). 2000;32:383-7 (Case rep.)
Calton WC Jr, Franklin DP, Elmore JR, Han DC. Carotid endarterectomy: the financial impact of practice changes. 2000;32:643-8
Campbell DR (*see* Faries et al). 2000;32:1080-90
Camporese G (*see* Verlato et al). 2000;32:293-8
Capel P (*see* Galle et al). 2000;32:234-46
Caps MT (*see* Meissner et al). 2000;32:48-56
Carlin RE (*see* Owens et al). 2000;32:961-8
Carlin RE (*see* Passman et al). 2000;32:669-75
Carpenter J (*see* Criado et al). 2000;32:1137-41
Carpenter JP. Regarding "Emergency repair of thoracoabdominal aortic aneurysms: a word of caution on the numerical analysis of the results." 2000;32:408-9 (Letter reply)
Carpenter JP (*see* Criado et al). 2000;32:684-8
Carpenter JP (*see* Valazquez et al). 2000;32:777-88
Carr JA, Cho JS, Shepard AD, Nypaver TJ, Reddy DJ. Visceral pseudoaneurysms due to pancreatic pseudocysts: rare but lethal complications of pancreatitis. 2000;32:722-30
Carretero OA (*see* Shin et al). 2000;32:1015-21
Carter SA (*see* Tsai et al). 2000;32:32-6
Cassina PC (*see* Hafner et al). 2000;32:322-9
Castillo JM (*see* Valentine et al). 2000;32:441-50
Castronuovo JJ Jr, James KV, Resnikoff M, McLean ER, Edoga JK. Laparoscopic-assisted abdominal aortic aneurysmectomy. 2000;32:224-33
Castronuovo JJ Jr (*see* Tsai et al). 2000;32:32-6
Cersósimo H (*see* Parodi et al). 2000;32:1127-36
Chaikof EL (*see* Lin et al). 2000;32:607-11 (Case rep.)
Chakfé N (*see* Dion et al). 2000;32:1006-14
Chan A (*see* Chang et al). 2000;32:524-30
Chandler JG, Pichot O, Sessa C, Schuller-Petrovi S, Osse FJ, Bergan JJ. Defining the role of extended saphenofemoral junction ligation: a prospective comparative study. 2000;32:941-53
Chandler JG (*see* Manfrini et al). 2000;32:330-42
Chandler WC (*see* Meissner et al). 2000;32:870-80
Chang BB, Darling RC III, Patel M, Roddy SP, Paty PSK, Kreienberg PB, Lloyd WE, Shah DM. Use of shunts with eversion carotic endarterectomy. 2000;32:655-62
Chang C (*see* de Virgilio et al). 2000;32:77-89
Chang D (*see* Lipsitz et al). 2000;32:704-10
Chang D (*see* Palm et al). 2000;32:197-200 (Case rep.)
Chang DW, Chan A, Forse RA, Abbott WM. Enabling sutureless vascular bypass grafting with the exovascular sleeve anastomosis. 2000;32:524-30
Charpak Y (*see* Boivin et al). 2000;32:570-4
Chaufour X (*see* May et al). 2000;32:124-9
Chello M (*see* Mastroroberto et al). 2000;32:408-9 (Letter)
Chemla E (*see* Julia et al). 2000;32:1222-4
Cherr GS (*see* Hansen et al). 2000;32:472-82
Cherr GS (*see* Motew et al). 2000;32:462-71
Cherry KJ Jr (*see* Noel et al). 2000;32:840-7
Cherry KJ Jr (*see* Panneton et al). 2000;32:711-21
Cho JS (*see* Carr et al). 2000;32:722-30
Choueiri MA (*see* AbuRahma and Choueiri). 2000;32:649-54
Ciardullo AV, Panico S, Bellati C, Rubba P, Rinaldi S, Iannuzzi A, Cioffi V, Iannuzzo G, Berrino F. High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women. 2000;32:544-9
Cicci CK (*see* Sing et al). 2000;32:144-7
Cinà CS, Arena GO, Bruin G, Clase CM. Kommerell's diverticulum and aneurysmal right-sided aortic arch: a case report and review of the literature. 2000;32:1208-14
Clagett GP (*see* Jackson et al). 2000;32:498-505
Clagett GP (*see* Valentine et al). 2000;32:441-50
Clair DG, Gray B, O'Hara PJ, Ouriel K. An evaluation of the costs to health care institutions of endovascular aortic aneurysm repair. 2000;32:148-52
Clair DG (*see* Traul et al). 2000;32:770-6
Clase CM (*see* Cinà et al). 2000;32:1208-14
Claytor B (*see* Li et al). 2000;32:804-13
Coady MA, Adler F, Davila JJ, Gahtan V. Nonrecurrent laryngeal nerve during carotid artery surgery: case report and literature review. 2000;32:192-6 (Case rep.)
Cohn M (*see* Valazquez et al). 2000;32:777-88
Collins M (*see* Waltham et al). 2000;32:988-96
Comerota AJ, Throm RC, Mathias SD, Haughton S, Mewissen M. Catheter-directed thrombolysis for iliofemoral deep venous thrombosis improves health-related quality of life. 2000;32:130-7
Connors JP, Walsh DB, Nelson PR, Powell RJ, Fillinger MF, Zwolak RM, Cronenwett JL. Pedal branch artery bypass: a viable limb salvage option. 2000;32:1071-9
Cordon-Cardo C (*see* Reis et al). 2000;32:1022-9
Cornu-Thenard A (*see* Boivin et al). 2000;32:570-4
Covino E (*see* Mastroroberto et al). 2000;32:408-9 (Letter)
Cox DK (*see* Cahan et al). 2000;32:537-43
Craven TE (*see* Hansen et al). 2000;32:472-82
Craven TE (*see* Motew et al). 2000;32:462-71
Criado FJ, Wilson EP, Abul-Khoudoud O, Barker C, Carpenter J,

Fairman R. Brachial artery catheterization to facilitate endovascular grafting of abdominal aortic aneurysm: safety and rationale. 2000;32:1137-41
Criado FJ, Wilson EP, Velazquez OC, Carpenter JP, Barker C, Wellons E, Abul-Khoudoud O, Fairman RM. Safety of coil embolization of the internal iliac artery in endovascular grafting of abdominal aortic aneurysms. 2000;32:684-8
Criado FJ (*see* Valazquez et al). 2000;32:777-88
Criado-Pallares E (*see* Owens et al). 2000;32:961-8
Criqui MH (*see* McDermott et al). 2000;32:1164-71
Cronenwett JL (*see* Connors et al). 2000;32:1071-9
Cronenwett JL (*see* Powell et al). 2000;32:564-9
Crowther M, Goodall S, Jones JL, Bell PRF, Thompson MM. Increased matrix metalloproteinase 2 expression in vascular smooth muscle cells cultured from abdominal aortic aneurysms. 2000;32:575-83
Culbertson TA (*see* Kumins et al). 2000;32:1225-8
Cutler BS (*see* Li et al). 2000;32:804-13

D

Dai G, Tsukurov O, Orkin RW, Abbott WM, Kamm RD, Gertler JP. An in vitro cell culture system to study the influence of external pneumatic compression on endothelial function. 2000;32:977-87
Dalman RL (*see* Wolf et al). 2000;32:519-23
Danielsson G (*see* Manfrini et al). 2000;32:330-42
Darling RC III (*see* Chang et al). 2000;32:655-62
Daskalopoulou SS (*see* Kakkos et al). 2000;32:932-40
Davila JJ (*see* Coady et al). 2000;32:192-6 (Case rep.)
de Graaff JC, Ubbink DT, Legemate DA, de Haan RJ, Jacobs MJHM. The usefulness of laser Doppler scanning in the measurement of toe blood pressures. 2000;32:1172-9
de Haan P (*see* Meylaerts et al). 2000;32:160-70
de Haan RJ (*see* de Graaff et al). 2000;32:1172-9
De Maertelaer V (*see* Galle et al). 2000;32:234-46
de Smet AAEA, Tetteroo E, Moll FL. Noninvasive evaluation before and after percutaneous therapy of iliac artery stenoses: the value of the Bernoulli-predicted pressure gradient. 2000;32:153-9
de Virgilio C, Toosie K, Ephraim L, Elbassir M, Donayre C, Baker JD, Narahara K, Mishkin F, Lewis RJ, Chang C, White R, Mody FV. Dipyridamole-thallium/sestamibi before vascular surgery: a prospective blinded study in moderate-risk patients. 2000;32:77-89
Dean RH (*see* Hansen et al). 2000;32:472-82
Dean RH (*see* Travis et al). 2000;32:612-5 (Case rep.)
DeCaprio JD (*see* Valentine et al). 2000;32:441-50
Deguchi J (*see* Kimura et al). 2000;32:353-63
Deitch JS (see Heller et al). 2000;32:1091-101
DeLaurentis DA (*see* Dougherty et al). 2000;32:383-7 (Case rep.)
Delis K (*see* Labropoulos et al). 2000;32:954-60
Delis KT, Nicolaides AN, Labropoulos N, Stansby G. The acute effects of intermittent pneumatic foot versus calf versus simultaneous foot and calf compression on popliteal artery hemodynamics: a comparative study. 2000;32:284-92
DeLuca D (*see* van Aalst et al). 2000;32:584-92
Delville JP (*see* Galle et al). 2000;32:234-46
DeMassi R (*see* Gagne et al). 2000;32:1149-54
Dennis JW (*see* Sekharan et al). 2000;32:483-9
DePalma RG, Kowallek DL, Barcia TC, Cafferata HT. Target selection for surgical intervention in severe chronic venous insufficiency: comparison of duplex scanning and phlebography. 2000;32:913-20
Dereume JP (*see* Galle et al). 2000;32:234-46
Desgranges P (*see* Harris et al). 2000;32:739-49
DeWeese JA (*see* Green et al). 2000;32:315-21
Diamond N (*see* Smith et al). 2000;32:824-8 (Case rep.)
Dias da Silva A, O'Donnell S, Gillespie D, Goff J, Shriver C, Rich N. Malignant carotid body tumor: a case report. 2000;32:821-3 (Case rep.)
Dickason T (*see* Jackson et al). 2000;32:498-505
Diemont F (*see* Julia et al). 2000;32:1222-4
Dion YM, El Kadi HB, Boudoux C, Gourdon J, Chakfé N, Traoré A, Moisan C. Endovascular procedures under near-real-time magnetic resonance imaging guidance: an experimental feasibility study. 2000;32:1006-14
DiSesa VJ (*see* Madan et al). 2000;32:1030-3
Dobson JG Jr (*see* Li et al). 2000;32:804-13
Dodson TF (*see* Lin et al). 2000;32:607-11 (Case rep.)
Donayre C (*see* de Virgilio et al). 2000;32:77-89
Dougherty MJ, Calligaro KD, Rua I, DeLaurentis DA. Idiopathic pedunculated mural thrombus of the nonaneurysmal infrarenal aorta presenting with popliteal embolization: two cases treated with thrombolytic therapy. 2000;32:383-7 (Case rep.)
Dougherty MJ. Regarding "Endovascular versus surgical treatment for thrombosed hemodialysis: a prospective, randomized study." 2000;32:1038-9 (Letter reply)
Dovgan PS (*see* Shin et al). 2000;32:1015-21
Driscoll DJ (*see* Noel et al). 2000;32:840-7
Drobnjak M (*see* Reis et al). 2000;32:1022-9
Dupont H (*see* Lang-Lazdunski et al). 2000;32:179-89
Duzgun SA (*see* Azuma et al). 2000;32:789-94

E

Edelstein C (*see* Fortunato et al). 2000;32:555-63
Edoga JK (*see* Castronuovo et al). 2000;32:224-33
Edwards JM (*see* Foley et al). 2000;32:37-47
Edwards JM (*see* Landry et al). 2000;32:23-31
El Fettouh HA (*see* Hafez et al). 2000;32:1102-10
El Kadi HB (*see* Dion et al). 2000;32:1006-14
Elbassir M (*see* de Virgilio et al). 2000;32:77-89
Elmore JR (*see* Calton et al). 2000;32:643-8
Ephraim L (*see* de Virgilio et al). 2000;32:77-89
Eskandari MK (*see* Rhee et al). 2000;32:689-96
Estes JM, Kwoun MO, O'Donnell TF Jr, Mackey WC. Factors predicting prolonged length of stay after carotid endarterectomy. 2000;32:550-4
Estourgie RJA (*see* Lemson et al). 2000;32:1155-63
Evans CJ (*see* Bradbury et al). 2000;32:921-31
Evans SM, Adam DJ, Bradbury AW. The influence of gender on outcome after ruptured abdominal aortic aneurysm. 2000;32:258-62

F

Fabiani JN (*see* Julia et al). 2000;32:1222-4
Fairman R (*see* Criado et al). 2000;32:1137-41
Fairman RM (*see* Criado et al). 2000;32:684-8
Fairman RM (*see* Valazquez et al). 2000;32:777-88
Farah I (*see* Sessa et al). 2000;32:902-12
Farber MA (*see* Owens et al). 2000;32:961-8
Farber MA (*see* Passman et al). 2000;32:669-75
Faries PL, LoGerfo FW, Arora S, Hook S, Pulling MC, Akbari CM, Marin ML, Campbell DR, Hollier LH, Pomposelli FB Jr. A comparative study of alternative conduits for lower extremity revascularization: all-autogenous conduit versus prosthetic grafts. 2000;32:1080-90
Farner MC. Regarding "Endovascular versus surgical treatment for thrombosed hemodialysis: a prospective, randomized study." 2000;32:1038-9 (Letter)

Farsi A (*see* Brunelli et al). 2000;32:531-6
Fedi S (*see* Brunelli et al). 2000;32:531-6
Ferreira J (*see* Galle et al). 2000;32:234-46
Ferreira LM (*see* Parodi et al). 2000;32:1127-36
Fillinger M (*see* Powell et al). 2000;32:564-9
Fillinger MF (*see* Connors et al). 2000;32:1071-9
Fischer DB (*see* Wladis et al). 2000;32:997-1005
Fisher MJ (*see* Parrino et al). 2000;32:171-8
Flynn TC (*see* Seeger et al). 2000;32:451-61
Fogarty TJ (*see* Wolf et al). 2000;32:108-15, 519-23, 1142-8
Fogarty TJ (*see* Zarins et al). 2000;32:90-107
Foley MI, Moneta GL, Abou-Zamzam AM Jr, Edwards JM, Taylor LM Jr, Yeager RA, Porter JM. Revascularization of the superior mesenteric artery alone for treatment of intestinal ischemia. 2000;32:37-47
Forse RA (*see* Chang et al). 2000;32:524-30
Fortunato JE, Bassiouny HS, Song RH, Kocharian H, Glagov S, Edelstein C, Scanu AM. Apolipoprotein (a) fragments in relation to human carotid plaque instability. 2000;32:555-63
Fowkes FGR (*see* Bradbury et al). 2000;32:921-31
Fox PL (*see* van Aalst et al). 2000;32:584-92
Franklin DP (*see* Calton et al). 2000;32:643-8
Freedman BI (*see* Hansen et al). 2000;32:472-82
Freeman MB (*see* Timaran et al). 2000;32:506-18
Freischlag JA. Regarding "The effect of venous anastomosis Tyrell vein patch collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis" and "Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access." 2000;32:1235-7
Frykberg ER (*see* Sekharan et al). 2000;32:483-9
Fuster V (*see* Reis et al). 2000;32:1022-9

G

Gagne PJ, Martinez J, DeMassi R, Gregory R, Parent FN, Gayle R, Meier GH, Philput C. The effect of a venous anastomosis Tyrell vein collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis. 2000;32:1149-54
Gagne PJ (*see* Rockman et al). 2000;32:1062-70
Gagner M (*see* Roayaie et al). 2000;32:814-7 (Case rep.)
Gahtan V (*see* Coady et al). 2000;32:192-6 (Case rep.)
Galle C, De Maertelaer V, Motte S, Zhou L, Stordeur P, Delville JP, Li R, Ferreira J, Goldman M, Capel P, Wautrecht JC, Pradier O, Dereume JP. Early inflammatory response after elective abdominal aortic aneurysm repair: a comparison between endovascular procedure and conventional surgery. 2000;32:234-46
Garelli G (*see* Parodi et al). 2000;32:1127-36
Garnette CSC (*see* Li et al). 2000;32:804-13
Gasbarro V (*see* Manfrini et al). 2000;32:330-42
Gaughen JR Jr (*see* Parrino et al). 2000;32:171-8
Gaunt ME (*see* Naylor et al). 2000;32:750-9
Gaux JC (*see* Julia et al). 2000;32:1222-4
Gayle R (*see* Gagne et al). 2000;32:1149-54
Geary RL (*see* Travis et al). 2000;32:612-5 (Case rep.)
Gensini GF (*see* Brunelli et al). 2000;32:531-6
Gerhardt MA (*see* Kumins et al). 2000;32:1225-8
Gerlitz B (*see* Li et al). 2000;32:804-13
Gertler JP (*see* Dai et al). 2000;32:977-87
Giannoukas AD (*see* Labropoulos et al). 2000;32:954-60
Gillespie D (*see* Dias da Silva et al). 2000;32:821-3 (Case rep.)
Gitlitz D (*see* Roayaie et al). 2000;32:814-7 (Case rep.)
Giusti B (*see* Brunelli et al). 2000;32:531-6
Glagov S (*see* Fortunato et al). 2000;32:555-63
Gloviczki P. Presidential address: Where science touches man, it turns to art. 2000;32:627-33
Gloviczki P (*see* Noel et al). 2000;32:840-7
Gloviczki P (see Panneton et al). 2000;32:711-21
Goff J (*see* Dias da Silva et al). 2000;32:821-3 (Case rep.)
Goffette P (*see* Hammer et al). 2000;32:392-6 (Case rep.)
Goh K (*see* Sasajima et al). 2000;32:374-82
Golden MA (*see* Larson et al). 2000;32:1111-7
Golden MA (*see* Valazquez et al). 2000;32:777-88
Goldman M (*see* Galle et al). 2000;32:234-46
Goldman MH (*see* Timaran et al). 2000;32:506-18
Goldstein K (*see* Lipsitz et al). 2000;32:704-10
Goldstone J (*see* McDaniel et al). 2000;32:1239-50
Goodall S (*see* Crowther et al). 2000;32:575-83
Gourdon J (*see* Dion et al). 2000;32:1006-14
Gowdak LHW, Poliakova L, Li Z, Grove R, Lakatta EG, Talan M. Induction of angiogenesis by cationic lipid-mediated VEGF165 gene transfer in the rabbit ischemic hindlimb model. 2000;32:343-52
Graham LM (*see* van Aalst et al). 2000;32:584-92
Grandas OH (*see* Timaran et al). 2000;32:506-18
Gray B (*see* Clair et al). 2000;32:148-52
Gray B (*see* Traul et al). 2000;32:770-6
Green RM, Greenberg R, Illig K, Shortell C, Ouriel K. Eversion endarterectomy of the carotid artery: technical considerations and recurrent stenoses. 2000;32:1052-61
Green RM, Waldman D, Ouriel K, Riggs P, DeWeese JA. Claviculectomy for subclavian venous repair: long-term functional results. 2000;32:315-21
Greenberg R (*see* Green et al). 2000;32:1052-61
Greenfield LJ, Proctor MC, Michaels AJ, Taheri PA. Prophylactic vena caval filters in trauma: the rest of the story. 2000;32:490-7
Greenfield LJ, Proctor MC. The percutaneous Greenfield filter: outcomes and practice patterns. 2000;32:888-93
Greenland P (*see* McDermott et al). 2000;32:1164-71
Gregory R (*see* Gagne et al). 2000;32:1149-54
Griffin M (*see* Kakkos et al). 2000;32:932-40
Grove R (*see* Gowdak et al). 2000;32:343-52
Guidicelli H (*see* Sessa et al). 2000;32:902-12
Guralnik JM (*see* McDermott et al). 2000;32:1164-71

H

Hafez KS, El Fettouh HA, Novick AC, Ouriel K. Management of synchronous renal neoplasm and abdominal aortic aneurysm. 2000;32:1102-10
Hafner J, Schneider E, Burg G, Cassina PC. Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance of concomitant arterial and venous disease. 2000;32:322-9
Hallett JW Jr (*see* Panneton et al). 2000;32:711-21
Hamada H (*see* Kimura et al). 2000;32:353-63
Hammer F, Becker D, Goffette P, Mathurin P. Crushed stents in benign left brachiocephalic vein stenoses. 2000;32:392-6 (Case rep.)
Hammond WP (*see* Bhattacharya et al). 2000;32:116-23
Han DC (*see* Calton et al). 2000;32:643-8
Hanna DJ (*see* Cahan et al). 2000;32:537-43
Hansen KJ, Cherr GS, Craven TE, Motew SJ, Travis JA, Wong JM, Levy PJ, Freedman BI, Ligush J Jr, Dean RH. Management of ischemic nephropathy: dialysis-free survival after surgical repair. 2000;32:472-82
Hansen KJ (*see* Motew et al). 2000;32:462-71
Hansen KJ (*see* Travis et al). 2000;32:612-5 (Case rep.)
Harris EJ Jr (*see* Lee et al). 2000;32:57-67
Harris EJ (*see* Wolf et al). 2000;32:519-23
Harris JP (*see* May et al). 2000;32:124-9

Harris PL, Vallabhaneni SR, Desgranges P, Becquemin JP, van Marrewijk C, Laheij RJF. Incidence and risk factors of late rupture, conversion, and death after endovascular repair of infrarenal aortic aneurysms: the EUROSTAR experience. 2000;32:739-49
Hartley S (*see* Hayes et al). 2000;32:299-306
Haser PB (*see* Patel et al). 2000;32:247-57
Haughton S (*see* Comerota et al). 2000;32:130-7
Hayes PD, Vainas T, Hartley S, Thompson MM, London NJM, Bell PRF, Naylor AR. The Pruitt-Inahara shunt maintains mean middle cerebral artery velocities within 10% of preoperative values during carotid endarterectomy. 2000;32:299-306
Hayes PD (*see* Naylor et al). 2000;32:750-9
Heller JA, Weinberg A, Arons R, Krishnasastry KV, Lyon RT, Deitch JS, Schulick AH, Bush HL Jr, Kent KC. Two decades of abdominal aortic aneurysm repair: have we made any progress?. 2000;32:1091-101
Heller S (*see* Lipsitz et al). 2000;32:704-10
Hertzer NR (*see* Johnston et al). 2000;32:213-5 (Editorial)
Hertzer NR (*see* Rizzo et al). 2000;32:602-6 (Case rep.)
Herzog TA (*see* AbuRahma et al). 2000;32:1043-51
Hetzer R (*see* Knosalla et al). 2000;32:1034-7
Heurteaux C (*see* Lang-Lazdunski et al). 2000;32:179-89
Hiatt WR (*see* McDaniel et al). 2000;32:1239-50
Higashida RT (*see* Rapp et al). 2000;32:68-76
Hill BB (*see* Lee et al). 2000;32:57-67
Hill BB (*see* Wolf et al). 2000;32:108-15, 519-23, 1142-8
Hingorani A (*see* Ascher et al). 2000;32:881-7
Hiraishi Y (*see* Sasajima et al). 2000;32:374-82
Hiroe T (*see* Nishimura et al). 2000;32:616-18 (Case rep.)
Hodgson KJ (*see* Karch et al). 2000;32:676-83
Hodgson KJ (*see* Zarins et al). 2000;32:90-107
Hofer JM (*see* Panneton et al). 2000;32:711-21
Hollier L (*see* Roayaie et al). 2000;32:814-7 (Case rep.)
Hollier LH (*see* Faries et al). 2000;32:1080-1090
Holt SM (*see* AbuRahma et al). 2000;32:1043-51
Hook S (*see* Faries et al). 2000;32:1080-1090
Huber TS (*see* Seeger et al). 2000;32:451-61
Huckabone C (*see* Bove et al). 2000;32:697-703
Hughes JD (*see* Wixon CL et al). 2000;32:1-12
Hussain SA. Kazi Mobin-Uddin, 1930-1999. 2000;32:406-7

I

Iannuzzo G (*see* Ciardullo et al). 2000;32:544-9
Ikebuchi M (*see* Nishimura et al). 2000;32:616-8 (Case rep.)
Ikeda M (*see* Azuma et al). 2000;32:789-94
Illig K (*see* Green et al). 2000;32:1052-61
Illig KA. Regarding "Photoplethysmography and calf muscle pump function after subfascial endoscopic perforator ligation." 2000;32:1039-40 (Letter reply)
Inaba M (*see* Sasajima et al). 2000;32:374-82
Inhat DM (*see* Wixon CL et al). 2000;32:1-12
Irwin RJ (*see* Kumins et al). 2000;32:1225-8
Ishida A (*see* Bhattacharya et al). 2000;32:116-23
Ishiguro S (*see* Nishimura et al). 2000;32:616-8 (Case rep.)

J

Jackson MR, Belott TP, Dickason T, Kaiser WJ, Modrall JG, Valentine RJ, Clagett GP. The consequences of a failed femoropopliteal bypass grafting: comparison of saphenous vein and PTFE grafts. 2000;32:498-505
Jackson MR (*see* Rosen et al). 2000;32:1215-8
Jackson MR (*see* Valentine et al). 2000;32:441-50
Jacobowitz GR (*see* Rockman et al). 2000;32:1062-70
Jacobs MJHM (*see* de Graaff et al). 2000;32:1172-9
Jacobs MJHM (*see* Meylaerts et al). 2000;32:160-70
James KV (*see* Castronuovo et al). 2000;32:224-33
Jaspers J (*see* Meylaerts et al). 2000;32:160-70
Jennings TG (*see* AbuRahma et al). 2000;32:411-9
Johnson BL (*see* Back et al). 2000;32:429-40
Johnson BL (*see* Wolf et al). 2000;32:1142-8
Johnson WC, Lee KK. A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study. 2000;32:268-77
Johnston KW, Hertzer NR, Rutherford RB, Smith RB III, Yao JST. Joint Council guidelines for disclosure of conflict of interest. 2000;32:213-5 (Editorial)
Johnston KW (*see* Pope and Johnston). 2000;32:190-1 (Case rep.)
Jones DN (see Tsai et al). 2000;32:32-6
Jones JL (*see* Crowther et al). 2000;32:575-83
Jossart G (*see* Roayaie et al). 2000;32:814-7 (Case rep.)
Jost CJ (*see* Kalra et al). 2000;32:1190-200
Julia PL, Sapoval M, Diemont F, Chemla E, Gaux JC, Fabiani JN. Endovascular repair of aortic allograft aneurysmal degeneration: a case report. 2000;32:1222-4

K

Kaiser WJ (*see* Jackson et al). 2000;32:498-505
Kakkos SK, Szendro G, Griffin M, Daskalopoulou SS, Nicolaides AN. The efficacy of the SCD Response Compression system in the presence of venous stasis. 2000;32:932-40
Kalkman CJ (*see* Meylaerts et al). 2000;32:160-70
Kallmes DF (*see* Parrino et al). 2000;32:171-8
Kalra M, Jost CJ, Severson SR, Miller VM. Adventitial versus intimal liposome-mediated ex vivo transfection of canine saphenous vein grafts with endothelial nitric oxide synthase gene. 2000;32:1190-200
Kamada T (*see* Nakajima et al). 2000;32:219-23
Kamm RD (*see* Dai et al). 2000;32:977-87
Kanaoka Y (*see* Nishimura et al). 2000;32:616-8 (Case rep.)
Kaneko H (*see* Unno et al). 2000;32:263-7
Kang SS (*see* Labropoulos et al). 2000;32:663-8, 954-60
Kappetein AP (*see* Burger et al). 2000;32:278-83
Karch LA, Hodgson KJ, Mattos MA, Bohannon WT, Ramsey DE, McLafferty RB. Adverse consequences of internal iliac artery occlusion during endovascular repair of abdominal aortic aneurysms. 2000;32:676-83
Katsamouris A (*see* Labropoulos et al). 2000;32:954-60
Kaufman BR (*see* van Aalst et al). 2000;32:584-92
Kawazoe K (*see* Nakajima et al). 2000;32:219-23
Kazui T (*see* Washiyama et al). 2000;32:209-12 (Case rep.)
Keagy BA (*see* Owens et al). 2000;32:961-8
Keagy BA (*see* Passman et al). 2000;32:669-75
Kent KC (*see* Heller et al). 2000;32:1091-101
Kent KC (*see* Patel et al). 2000;32:247-57
Kern JA (*see* Parrino et al). 2000;32:171-8
Khoury MD (*see* Bove et al). 2000;32:697-703
Kihara TK (*see* Blebea et al). 2000;32:364-73
Killewich LA (*see* Cahan et al). 2000;32:537-43
Kimura H, Sakata Y, Hamada H, Yoshida Y, Sato O, Deguchi J, Sugawara Y, Makuuchi M, Miyata T. In vivo retention of endothelial cells adenovirally transduced with tissue-type plasminogen activator and seeded onto expanded polytetrafluoroethylene. 2000;32:353-63
Kito H (*see* Azuma et al). 2000;32:789-94
Knosalla C, Bauer M, Weng YG, Weidemann H, Hetzer R.

Complicated chronic pancreatitis causing mycotic aortic aneurysm: in situ replacement with a cryopreserved aortic allograft. 2000;32:1034-7
Kocharian H (*see* Fortunato et al). 2000;32:555-63
Koeberlein B (*see* Larson et al). 2000;32:1111-7
Komoda K (*see* Nakajima et al). 2000;32:219-23
Korn P (*see* Patel et al). 2000;32:247-57
Kowallek DL (*see* DePalma et al). 2000;32:913-20
Krajewski LP (*see* Rizzo et al). 2000;32:602-6 (Case rep.)
Kreienberg PB (*see* Chang et al). 2000;32:655-62
Kreis N (*see* Blättler et al). 2000;32:855-60
Krishnasastry KV (*see* Heller et al). 2000;32:1091-101
Kron IL (*see* Parrino et al). 2000;32:171-8
Kumins NH, Tober JC, Love CJ, Culbertson TA, Gerhardt MA, Irwin RJ, Smead WL. Arteriovenous fistulae complicating cardiac pacemaker lead extraction: recognition, evaluation and management. 2000;32:1225-8
Kumins NH, Weinzweiger N, Schuler JJ. Free tissue transfer provides durable treatment for large nonhealing venous ulcers. 2000;32:848-54
Kwei S, Ohki T, Beitler J, Veith FJ. Complicated emergent endovascular repair of a life-threatening bilateral internal jugular vein occlusion. 2000;32:397-401 (Case rep.)
Kwei S (*see* Lipsitz et al). 2000;32:704-10
Kwoun MO (*see* Roddy et al). 2000;32:550-4

L

La Mura R (*see* Parodi et al). 2000;32:1127-36
Labropoulos N, Giannoukas AD, Delis K, Kang SS, Masour MA, Buckman J, Katsamouris A, Nicolaides AN, Littooy FN, Baker WH. The impact of isolated lesser saphenous vein system incompetence on clinical signs and symptoms of chronic venous disease. 2000;32:954-60
Labropoulos N, Tassiopoulos AK, Kang SS, Masour MA, Littooy FN, Baker WH. Prevalence of deep venous reflux in patients with primary superficial vein incompetence. 2000;32:663-8
Labropoulos N (*see* Delis et al). 2000;32:284-92
Laheij RJF (*see* Harris et al). 2000;32:739-49
Lakatta EG (*see* Gowdak et al). 2000;32:343-52
Lamparello P (*see* Roayaie et al). 2000;32:814-7 (Case rep.)
Lamparello PJ (*see* Rockman et al). 2000;32:1062-70
Landis R (*see* Rockman et al). 2000;32:1062-70
Landry GJ, Moneta GL, Taylor LM Jr, Edwards JM, Yeager RA, Porter JM. Patency and characteristics of lower extremity vein grafts requiring multiple revisions. 2000;32:23-31
Lang-Lazdunski L, Heurteaux C, Dupont H, Widmann C, Lazdunski M. Prevention of ischemic spinal cord injury: comparative effects of magnesium sulfate and riluzole. 2000;32:179-89
Larson RA, Naji M, Lombardi JV, Naji A, Koeberlein B, Golden MA. Adenoviral-mediated uteroglobin gene transfer inhibits neointimal hyperplasia after balloon injury in the rat carotid artery. 2000;32:1111-7
Lawrence PF (*see* Treiman et al). 2000;32:1180-9
Lawrence PF (*see* Trieman et al). 2000;32:13-22
Lazdunski M (*see* Lang-Lazdunski et al). 2000;32:179-89
Ledesma DF (*see* Rosen et al). 2000;32:1215-8
Lee A (*see* Bradbury et al). 2000;32:921-31
Lee JC (*see* Lipsitz et al). 2000;32:704-10
Lee KK (*see* Johnson and Lee). 2000;32:268-77
Lee SD (*see* Buckley et al). 2000;32:731-8
Lee WA, Hill BB, Harris EJ Jr, Semba CP, Olcott C IV. Surgical interention is not required for all patients with subclavian vein thrombosis. 2000;32:57-67
Lee WA (*see* Yang et al). 2000;32:1229-31
Legemate DA (*see* de Graaff et al). 2000;32:1172-9
Lemson MS, Tordoir JHM, van Det RJ, Welten RJTJ, Burger H, Estourgie RJA, Stroeken HJG, Leunissen KML. Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access. 2000;32:1155-63
Lennard N (*see* Naylor et al). 2000;32:750-9
Lennox AF (*see* Manfrini et al). 2000;32:330-42
LeQuire MH (*see* Sing et al). 2000;32:144-7
Leunissen KML (*see* Lemson et al). 2000;32:1155-63
Levine MP. Survival of an aortic trauma patient with Ehlers-Danlos syndrome type IV: a case report. 2000;32:1219-21
Levy PJ (*see* Hansen et al). 2000;32:472-82
Lewis RJ (*see* de Virgilio et al). 2000;32:77-89
Li J, Garnette CSC, Cahn M, Claytor B, Rohrer MJ, Dobson JG Jr, Gerlitz B, Cutler BS. Recombinant thrombomodulin inhibits arterial smooth muscle cell proliferation induced by thrombin. 2000;32:804-13
Li R (*see* Galle et al). 2000;32:234-46
Li Z (*see* Gowdak et al). 2000;32:343-52
Lidor A (*see* Weber et al). 2000;32:1118-26
Ligush J Jr (*see* Hansen et al). 2000;32:472-82
Lin PH, Bush RL, Weiss VJ, Dodson TF, Chaikof EL, Lumsden AB. Subclavian artery disruption resulting from endovascular intervention: treatment options. 2000;32:607-11 (Case rep.)
Linden C (*see* Back et al). 2000;32:429-40
Lipsitz E (*see* Wain et al). 2000;32:307-14
Lipsitz EC, Veith FJ, Ohki T, Heller S, Wain RA, Suggs WD, Lee JC, Kwei S, Goldstein K, Rabin J, Chang D, Mehta M. Does the endovascular repair of aortoiliac aneurysms pose a radiation safety hazard to vascular surgeons?. 2000;32:704-10
Littooy FN (*see* Labropoulos et al). 2000;32:663-8, 954-60
Liu K (*see* McDermott et al). 2000;32:1164-71
Lloyd WE (*see* Chang et al). 2000;32:655-62
LoGerfo FW (*see* Faries et al). 2000;32:1080-90
Lombardi JV (*see* Larson et al). 2000;32:1111-7
London NJM (*see* Hayes et al). 2000;32:299-306
London NJM (*see* Naylor et al). 2000;32:750-9
Long GW (*see* Bove et al). 2000;32:697-703
Lopez JA (*see* Rosen et al). 2000;32:1215-8
Love CJ (*see* Kumins et al). 2000;32:1225-8
Lumsden AB (*see* Lin et al). 2000;32:607-11 (Case rep.)
Lyon RT (*see* Heller et al). 2000;32:1091-101
Lyon RT (*see* Wain et al). 2000;32:307-14

M

Mackey WC (*see* Roddy et al). 2000;32:550-4
Madan AK, Santora TA, DiSesa VJ. Extra-anatomic bypass grafting for aortoesophageal fistula: a logical operation. 2000;32:1030-3
Madura JA II (*see* van Aalst et al). 2000;32:584-92
Magne JL (*see* Sessa et al). 2000;32:902-12
Makaroum MS (*see* Bertges et al). 2000;32:634-42
Makaroum MS (*see* Rhee et al). 2000;32:689-96
Makuuchi M (*see* Kimura et al). 2000;32:353-63
Malina M (*see* Schurink et al). 2000;32:795-803
Manfredini R, Zamboni P. Regarding "Chronic venous insufficiency is associated with increased platelet and monocyte activation and aggregation." 2000;32:622 (Letter)
Manfrini S, Gasbarro V, Danielsson G, Norgren L, Chandler JG, Lennox AF, Zarka ZA, Nicolaides AN. Endovenous management of saphenous vein reflux. 2000;32:330-42
Mannick J (*see* Yao and Mannick). 2000;32:1237-8
Manning LG (*see* Buckley et al). 2000;32:731-8
Manzo RA (*see* Meissner et al). 2000;32:48-56, 870-80

Marcucci R (*see* Brunelli et al). 2000;32:531-6
Margolin DA (*see* van Aalst et al). 2000;32:584-92
Marin ML (*see* Faries et al). 2000;32:1080-90
Marin ML (*see* Wain et al). 2000;32:307-14
Marston WA (*see* Owens et al). 2000;32:961-8
Marston WA (*see* Passman et al). 2000;32:669-75
Martin GJ (*see* McDermott et al). 2000;32:1164-71
Martinez J (*see* Gagne et al). 2000;32:1149-54
Masour MA (*see* Labropoulos et al). 2000;32:663-8, 954-60
Mastroroberto P; Chello M, Bevacqua E, Covino E. Regarding "Emergency repair of thoracoabdominal aortic aneurysms: a word of caution on the numerical analysis of the results." 2000;32:408-9 (Letter)
Mathias SD (*see* Comerota et al). 2000;32:130-7
Mathurin P (*see* Hammer et al). 2000;32:392-6 (Case rep.)
Matsushita M, Nishikimi N, Sakurai T, Nimura Y. Pseudoaneurysm of the popliteal artery caused by exostosis of the femur: case report and review of the literature. 2000;32:201-4 (Case rep.)
Mattos MA (*see* Karch et al). 2000;32:676-83
May J, White GH, Waugh R, Stephen MS, Chaufour X, Arulchelvam M, Harris JP. Comparison of first- and second-generation prostheses for endoluminal repair of abdominal aortic aneurysms: a 6-year study with life table analysis. 2000;32:124-9
Mayellaro V (*see* Verlato et al). 2000;32:293-8
Mazo JE (*see* Blebea et al). 2000;32:364-73
McCarthy WJ (*see* McDaniel et al). 2000;32:1239-50
McDaniel MD, Nehler MR, Santilli SM, Hiatt WR, Regensteiner JG, Goldstone J, McCarthy WJ, White JV. Extended outcome assessment in the care of vascular diseases: revising the paradigm for the 21st century. 2000;32:1239-50
McDermott MM, Criqui MH, Liu K, Guralnik JM, Greenland P, Martin GJ, Pearce W. Lower ankle/brachial index, as calculated by averaging the dorsalis pedis and posterior tibial arterial pressures, and association with leg functioning in peripheral arterial disease. 2000;32:1164-71
McLafferty RB (*see* Karch et al). 2000;32:676-83
McLaughlin PJ (*see* Blebea et al). 2000;32:364-73
McLean ER (*see* Castronuovo et al). 2000;32:224-33
Mehta M (*see* Lipsitz et al). 2000;32:704-10
Meier GH (*see* Gagne et al). 2000;32:1149-54
Meissner MH, Caps MT, Zierler BK, Bergelin RO, Manzo RA, Strandness DE Jr. Deep venous thrombosis and superficial venous reflux. 2000;32:48-56
Meissner MH, Zierler BK, Bergelin RO, Chandler WC, Manzo RA, Strandness DE Jr. Markers of plasma coagulation and fibrinolysis after acute deep venous thrombosis. 2000;32:870-80
Melkko J (*see* Bode et al). 2000;32:1201-7
Mendez MV (*see* Parodi et al). 2000;32:1127-36
Mesh CL (see Wladis et al). 2000;32:997-1005
Mewissen M (*see* Comerota et al). 2000;32:130-7
Meylaerts SA, de Haan P, Kalkman CJ, Jaspers J, Vanicky I, Jacobs MJHM. Prevention of paraplegia in pigs by selective segmental artery perfusion during aortic cross-clamping. 2000;32:160-70
Michaels AJ, (*see* Greenfield et al). 2000;32:490-7
Miller DC(*see* Wolf et al). 2000;32:519-23
Miller PR, (*see* Travis et al). 2000;32:612-5 (Case rep.)
Miller VM (*see* Kalra et al). 2000;32:1190-1200
Mills JL. *P* values may lack power: the choice of conduit for above-knee femoropopliteal bypass graft. 2000;32:402-5 (Commentary)
Mills JL (*see* Wixon CL et al). 2000;32:1-12
Miranda F (*see* Sekharan et al). 2000;32:483-9
Mishkin F. 2000;32:77-89
Mitchell RS (*see* Wolf et al). 2000;32:519-23
Miura K (*see* Washiyama et al). 2000;32:209-12 (Case rep.)
Miwa M (*see* Unno et al). 2000;32:263-7
Miyata T (*see* Kimura et al). 2000;32:353-63
Modrall JG (*see* Jackson et al). 2000;32:498-505
Modrall JG (*see* Valentine et al). 2000;32:441-50
Mody FV (*see* de Virgilio et al). 2000;32:77-89
Moisan C (*see* Dion et al). 2000;32:1006-14
Moll FL (*see* de Smet et al). 2000;32:153-9
Mondy JS III (*see* Pipkin et al). 2000;32:205-8 (Case rep.)
Moneta GL (*see* Foley et al). 2000;32:37-47
Moneta GL (*see* Landry et al). 2000;32:23-31
Motew SJ, Cherr GS, Craven TE, Travis JA, Wong JM, Reavis SW, Hansen KJ. Renal duplex sonography: main renal artery versus hilar analysis. 2000;32:462-71
Motew SJ (*see* Hansen et al). 2000;32:472-82
Motte S (*see* Galle et al). 2000;32:234-46
Mowery NT (*see* AbuRahma et al). 2000;32:1043-51
Muhammad BAH (*see* Washiyama et al). 2000;32:209-12 (Case rep.)
Mukherjee D (*see* Myers and Mukherjee). 2000;32:818-20 (Case rep.)
Mullins DA (*see* AbuRahma et al). 2000;32:1043-51
Muluk SC (*see* Bertges et al). 2000;32:634-42
Munschauer CE (*see* Smith et al). 2000;32:824-8 (Case rep.)
Myers JL, Mukherjee D. Bypass graft to the contralateral internal jugular vein for venous outflow obstruction of a functioning hemodialysis access fistula. 2000;32:818-20 (Case rep.)

N

Naji A (*see* Larson et al). 2000;32:1111-7
Naji M (*see* Larson et al). 2000;32:1111-7
Nakajima T, Kawazoe K, Komoda K, Sasaki T, Ohsawa S, Kamada T. Midline retroperitoneal versus midline transperitoneal approach for abdominal aortic aneurysm repair. 2000;32:219-23
Nakamura S (*see* Unno et al). 2000;32:263-7
Nakamura T (*see* Unno et al). 2000;32:263-7
Narahara K (*see* de Virgilio et al). 2000;32:77-89
Naylor AR, Hayes PD, Allroggen H, Lennard N, Gaunt ME, Thompson MM, London NJM, Bell PRF. Reducing the risk of carotid surgery: a 7-year audit of the role of monitoring and quality control assessment. 2000;32:750-9
Naylor AR (*see* Hayes et al). 2000;32:299-306
Neglén P, Raju S. Differences in pressures of the popliteal, long saphenous, and dorsal foot veins. 2000;32:894-901
Neglén P (*see* Raju et al). 2000;32:969-76
Nehler MR (*see* McDaniel et al). 2000;32:1239-50
Nelson PR (*see* Connors et al). 2000;32:1071-9
Nesbit R (*see* Pipkin et al). 2000;32:205-8 (Case rep.)
Nicolaides AN (*see* Delis et al). 2000;32:284-92
Nicolaides AN (*see* Kakkos et al). 2000;32:932-40
Nicolaides AN (*see* Labropoulos et al). 2000;32:954-60
Nicolaides AN (*see* Manfrini et al). 2000;32:330-42
Nicolini P (*see* Sessa et al). 2000;32:902-12
Nimura Y (*see* Matsushita et al). 2000;32:201-4 (Case rep.)
Nishikimi N (*see* Matsushita et al). 2000;32:201-4 (Case rep.)
Nishimura K, Kanaoka Y, Ikebuchi M, Hiroe T, Tachibana M, Ishiguro S, Ohgi S. Percutaneous balloon fenestration in a case of traumatic abdominal aortic dissection with lower extremity ischemia. 2000;32:616-8 (Case rep.)
Noel AA, Gloviczki P, Cherry KJ Jr, Rooke TW, Stanson AW, Driscoll DJ. Surgical treatment of venous malformations in Klippel-Trénaunay syndrome. 2000;32:840-7
Nollert MU (*see* Worthen and Nollert). 2000;32:593-601

Norgren L (*see* Manfrini et al). 2000;32:330-42
Novick AC (*see* Hafez et al). 2000;32:1102-10
Nypaver TJ (*see* Carr et al). 2000;32:722-30
Nypaver TJ (*see* Shin et al). 2000;32:1015-21

O

Oderich GSC, Treiman GS, Schneider P, Bhirangi K. Stent placement for treatment of central and peripheral venous obstruction: a long-term multi-institutional experience. 2000;32:760-9
O'Donnell S (*see* Dias da Silva et al). 2000;32:821-3 (Case rep.)
O'Donnell TF Jr (*see* Roddy et al). 2000;32:550-4
O'Hara PJ (*see* Clair et al). 2000;32:148-52
O'Hara PJ (*see* Rizzo et al). 2000;32:602-6 (Case rep.)
O'Hara PJ (*see* Traul et al). 2000;32:770-6
Ohgi S (*see* Nishimura et al). 2000;32:616-8 (Case rep.)
Ohki T (*see* Kwei et al). 2000;32:397-401 (Case rep.)
Ohki T (*see* Lipsitz et al). 2000;32:704-10
Ohki T (*see* Palm et al). 2000;32:197-200 (Case rep.)
Ohki T (*see* Wain et al). 2000;32:307-14
Ohsawa S (*see* Nakajima et al). 2000;32:219-23
Olcott C IV (*see* Lee et al). 2000;32:57-67
Olcott C IV (*see* Wolf et al). 2000;32:519-23
Olcott C IV (*see* Yang et al). 2000;32:1229-31
Orkin RW (*see* Dai et al). 2000;32:977-87
Osse FJ (*see* Chandler et al). 2000;32:941-53
Ouriel K (*see* Clair et al). 2000;32:148-52
Ouriel K (*see* Green et al). 2000;32:315-21, 1052-61
Ouriel K (*see* Hafez et al). 2000;32:1102-10
Ouriel K (*see* Traul et al). 2000;32:770-6
Owens LV, Farber MA, Young ML, Carlin RE, Criado-Pallares E, Passman MA, Keagy BA, Marston WA. The value of air plethysmography in predicting clinical outcome after surgical treatment of chronic venous insufficiency. 2000;32:961-8
Owens LV (*see* Passman et al). 2000;32:669-75
Ozaki CK (*see* Seeger et al). 2000;32:451-61

P

Pairolero PC (*see* Panneton et al). 2000;32:711-21
Palm SJ, Russwurm GP, Chang D, Rozenblit AM, Ohki T, Veith FJ. Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic adenoma. 2000;32:197-200 (Case rep.)
Pan XM (*see* Rapp et al). 2000;32:68-76
Panico S (*see* Ciardullo et al). 2000;32:544-9
Panneton JM, Teh SH, Cherry KJ Jr, Hofer JM, Gloviczki P, Andrews JC, Bower TC, Pairolero PC, Hallett JW Jr. Aortic fenestration for acute or chronic aortic dissection: an uncommon but effective procedure. 2000;32:711-21
Parent FN (*see* Gagne et al). 2000;32:1149-54
Parodi JC, La Mura R, Ferreira LM, Mendez MV, Cersósimo H, Schönholz C, Garelli G. Initial evaluation of carotid angioplasty and stenting with three different cerebral protection devices. 2000;32:1127-36
Parrino PE, Kron IL, Ross SD, Shockley KS, Fisher MJ, Gaughen JR Jr, Kallmes DF, Kern JA, Tribble CG. Retrograde venous perfusion with hypothermic saline and adenosine for protection of the ischemic spinal cord. 2000;32:171-8
Partsch H, Blättler W. Compression and walking versus bed rest in the treatment of proximal deep venous thrombosis with low molecular weight heparin. 2000;32:861-9
Passman MA, Farber MA, Marston WA, Carlin RE, Owens LV, Burnham CB, Burnham SJ, Keagy BA. Prospective screening for postoperative deep venous thrombosis in patients undergoing infrainguinal revascularization. 2000;32:669-75
Passman MA (*see* Owens et al). 2000;32:961-8
Patel M (*see* Chang et al). 2000;32:655-62
Patel ST, Korn P, Haser PB, Bush HL, Kent KC. The cost-effectiveness of repairing ruptured abdominal aortic aneurysms. 2000;32:247-57
Patterson DE (see Buckley et al). 2000;32:731-8
Paty PSK (*see* Chang et al). 2000;32:655-62
Pearce W (*see* McDermott et al). 2000;32:1164-71
Pepe G (*see* Brunelli et al). 2000;32:531-6
Perrin M (*see* Sessa et al). 2000;32:902-12
Philput C (*see* Gagne et al). 2000;32:1149-54
Pichot O (*see* Chandler et al). 2000;32:941-53
Piercy KT (*see* Timaran et al). 2000;32:506-18
Pipkin W, Brophy C, Nesbit R, Mondy JS III. Early experience with infectious complications of percutaneous femoral artery closure devices. 2000;32:205-8 (Case rep.)
Poliakova L (*see* Gowdak et al). 2000;32:343-52
Pomposelli FB Jr (*see* Faries et al). 2000;32:1080-90
Pope M, Johnston KW. Anaphylaxis after thrombin injection of a femoral pseudoaneurysm: recommendations for prevention. 2000;32:190-1 (Case rep.)
Porter JM (*see* Foley et al). 2000;32:37-47
Porter JM (*see* Landry et al). 2000;32:23-31
Powell RJ, Fillinger M, Walsh DB, Zwolak R, Cronenwett JL. Predicting outcome of angioplasty and selective stenting of multisegment iliac artery occlusive disease. 2000;32:564-9
Powell RJ (*see* Connors et al). 2000;32:1071-9
Pradier O (*see* Galle et al). 2000;32:234-46
Pratesi C (*see* Brunelli et al). 2000;32:531-6
Pretus HA (*see* Seeger et al). 2000;32:451-61
Prisco D (*see* Brunelli et al). 2000;32:531-6
Proctor MC (*see* Greenfield and Proctor). 2000;32:888-93
Proctor MC (*see* Greenfield et al). 2000;32:490-7
Puech-Leão P. Banding of the common iliac artery: an expedient in endoluminal correction of aortoiliac aneurysms. 2000;32:1232-4
Pulli R (*see* Brunelli et al). 2000;32:531-6
Pulling MC (*see* Faries et al). 2000;32:1080-90
Pyeron A (*see* Valazquez et al). 2000;32:777-88

R

Rabin J (*see* Lipsitz et al). 2000;32:704-10
Raju S, Berry MA, Neglén P. Transcommissural valvuloplasty: technique and results. 2000;32:969-76
Raju S (*see* Neglén and Raju). 2000;32:894-901
Ramsey DE (*see* Karch et al). 2000;32:676-83
Ranval TJ (*see* Ross and Ranval). 2000;32:420-8
Rapp JH, Pan XM, Sharp FR, Shah DM, Wille GA, Velez PM, Troyer A, Higashida RT, Saloner D. Atheroemboli to the brain: size threshold for causing acute neuronal cell death. 2000;32:68-76
Reavis SW (*see* Motew et al). 2000;32:462-71
Reddy DJ (*see* Carr et al). 2000;32:722-30
Regensteiner JG (*see* McDaniel et al). 2000;32:1239-50
Reis ED, Roqué M, Cordon-Cardo C, Drobnjak M, Fuster V, Badimon JJ. Apoptosis, proliferation, and p27 expression during vessel wall healing: time course study in a mouse model of transluminal femoral artery injury. 2000;32:1022-9
Resnikoff M (*see* Castronuovo et al). 2000;32:224-33
Rhee RY, Eskandari MK, Zajko AB, Makaroum MS. Long-term fate of the aneurysmal sac after endoluminal exclusion of abdominal aortic aneurysms. 2000;32:689-96
Rich N (*see* Dias da Silva et al). 2000;32:821-3 (Case rep.)
Riggs P (*see* Green et al). 2000;32:315-21
Riles TS (*see* Rockman et al). 2000;32:1062-70

Risteli J (*see* Bode et al). 2000;32:1201-7
Risteli LJ (*see* Bode et al). 2000;32:1201-7
Rivera F (*see* Smith et al). 2000;32:824-8 (Case rep.)
Rizzo A, Hertzer NR, O'Hara PJ, Krajewski LP, Beven EG. Dacron carotid patch infection: a report of eight cases. 2000;32:602-6 (Case rep.)
Roayaie S, Jossart G, Gitlitz D, Lamparello P, Hollier L, Gagner M. Laparoscopic release of celiac artery compression syndrome facilitated by laparoscopic ultrasound scanning to confirm restoration of flow. 2000;32:814-7 (Case rep.)
Robinson PA (*see* AbuRahma et al). 2000;32:411-9, 1043-51
Rocco S (*see* Verlato et al). 2000;32:293-8
Rockman CB, Jacobowitz GR, Lamparello PJ, Adelman MA, Woo D, Schanzer A, Gagne PJ, Landis R, Riles TS. Immediate reexploration for the perioperative neurologic event after carotid endarterectomy: is it worthwhile? 2000;32:1062-70
Rockwell WB (*see* Trieman et al). 2000;32:13-22
Roddy SP, Estes JM, Kwoun MO, O'Donnell Jr, Mackey WC. Factors predicting prolonged length of stay after carotid endarterectomy. 2000;32:550-4
Roddy SP (*see* Chang et al). 2000;32:655-62
Rogolino A (*see* Brunelli et al). 2000;32:531-6
Rohrer MJ (*see* Li et al). 2000;32:804-13
Rooke TW (*see* Noel et al). 2000;32:840-7
Roqué M (*see* Reis et al). 2000;32:1022-9
Rosen SF, Ledesma DF, Lopez JA, Jackson MR. Repair of a saccural aortic aneurysm with superficial femoral-popliteal vein in the presence of a pancreatic abscess. 2000;32:1215-8
Ross CB, Ranval TJ. Intraoperative use of stents for the management of unacceptable distal internal carotid artery end points during carotid endarterectomy: short-term and midterm results. 2000;32:420-8
Ross SD (*see* Parrino et al). 2000;32:171-8
Rozenblit AM (*see* Palm et al). 2000;32:197-200 (Case rep.)
Rua I (*see* Dougherty et al). 2000;32:383-7 (Case rep.)
Rubin GD (*see* Wolf et al). 2000;32:108-15, 1142-8
Ruckley CV (*see* Bradbury et al). 2000;32:921-31
Ruckley CV (*see* Stuart et al). 2000;32:138-43
Rushing G (*see* Back et al). 2000;32:429-40
Russwurm GP (*see* Palm et al). 2000;32:197-200 (Case rep.)
Rutherford RB (*see* Johnston et al). 2000;32:213-5 (Editorial)

S

Sakata Y (*see* Kimura et al). 2000;32:353-63
Sakurai T (*see* Matsushita et al). 2000;32:201-4 (Case rep.)
Salituro GM (*see* Weber et al). 2000;32:1118-26
Salmistraro G (*see* Verlato et al). 2000;32:293-8
Saloner D (*see* Rapp et al). 2000;32:68-76
Santilli SM (*see* McDaniel et al). 2000;32:1239-50
Santora TA (*see* Madan et al). 2000;32:1030-3
Sapoval M (*see* Julia et al). 2000;32:1222-4
Sasajima T, Takano Y, Hiraishi Y, Goh K, Inaba M, Azuma N, Sasajima Y, Yamazaki K, Yamamoto H. High accumulation of plasminogen and tissue plasminogen activator at the flow surface of mural fibrin in the human arterial system. 2000;32:374-82
Sasajima T (*see* Azuma et al). 2000;32:789-94
Sasajima Y (*see* Sasajima et al). 2000;32:374-82
Sasaki T (*see* Nakajima et al). 2000;32:219-23
Sato O (*see* Kimura et al). 2000;32:353-63
Satta J (*see* Bode et al). 2000;32:1201-7
Sauvage LR (*see* Bhattacharya et al). 2000;32:116-23
Scanu AM (*see* Fortunato et al). 2000;32:555-63
Schanzer A (*see* Rockman et al). 2000;32:1062-70
Schneider E (*see* Hafner et al). 2000;32:322-9
Schneider P (*see* Oderich et al). 2000;32:760-9
Schönholz C (*see* Parodi et al). 2000;32:1127-36
Schuler JJ (*see* Kumins et al). 2000;32:848-54
Schulick AH (*see* Heller et al). 2000;32:1091-101
Schuller-Petrovi S (*see* Chandler et al). 2000;32:941-53
Schurink GWH, Aarts NJM, Malina M, van Bockel JH. Pulsatile wall motion and blood pressure in aneurysms with open and thrombosed endoleaks—comparison of a wall track system and M-mode ultrasound scanning: an in vitro and animal study. 2000;32:795-803
Schwarten D (*see* Zarins et al). 2000;32:90-107
Seeger JM, Pretus HA, Welborn MB, Ozaki CK, Flynn TC, Huber TS. Long-term outcome after treatment of aortic graft infection with staged extra-anatomic bypass grafting and aortic graft removal. 2000;32:451-61
Sekharan J, Dennis JW, Veldenz HC, Miranda F, Frykberg ER. Continued experience with physical examination alone for evaluation and management of penetrating zone 2 neck injuries: results of 145 cases. 2000;32:483-9
Semba CP (*see* Lee et al). 2000;32:57-67
Sessa C, Nicolini P, Perrin M, Farah I, Magne JL, Guidicelli H. Management of symptomatic and asymptomatic popliteal venous aneurysms: a retrospective analysis of 25 patients and review of the literature. 2000;32:902-12
Sessa C (*see* Chandler et al). 2000;32:941-53
Severson SR (*see* Kalra et al). 2000;32:1190-200
Shah DM (see Chang et al). 2000;32:655-62
Shah DM (*see* Rapp et al). 2000;32:68-76
Sharp FR (*see* Rapp et al). 2000;32:68-76
Shepard AD (*see* Carr et al). 2000;32:722-30
Shi Q (*see* Bhattacharya et al). 2000;32:116-23
Shin LH, Dovgan PS, Nypaver TJ, Carretero OA, Beierwaltes WH. Role of neuropeptide Y in the development of two-kidney, one-clip renovascular hypertension in the rat. 2000;32:1015-21
Shockley KS (*see* Parrino et al). 2000;32:171-8
Shortell C (*see* Green et al). 2000;32:1052-61
Shriver C (*see* Dias da Silva et al). 2000;32:821-3 (Case rep.)
Sidawy AN (*see* Weber et al). 2000;32:1118-26
Sing RF, Cicci CK, LeQuire MH, Stackhouse DJ. Bedside carbon dioxide cavagrams for inferior vena cava filters: preliminary results. 2000;32:144-7
Smead WL (*see* Kumins et al). 2000;32:1225-8
Smith A (*see* Waltham et al). 2000;32:988-96
Smith BL, Munschauer CE, Diamond N, Rivera F. Ruptured internal carotid aneurysm resulting from neurofibromatosis: treatment with intraluminal stent graft. 2000;32:824-8 (Case rep.)
Smith RB III (*see* Johnston et al). 2000;32:213-5 (Editorial)
Soini Y (*see* Bode et al). 2000;32:1201-7
Song RH (*see* Fortunato et al). 2000;32:555-63
Stackhouse DJ (*see* Sing et al). 2000;32:144-7
Stansby G (*see* Delis et al). 2000;32:284-92
Stanson AW (*see* Noel et al). 2000;32:840-7
Steed DL (*see* Bertges et al). 2000;32:634-42
Stephen MS (*see* May et al). 2000;32:124-9
Stevens SL (*see* Timaran et al). 2000;32:506-18
Stordahl N (*see* Back et al). 2000;32:429-40
Stordeur P (*see* Galle et al). 2000;32:234-46
Strandness DE Jr (*see* Meissner et al). 2000;32:48-56, 870-80
Stroeken HJG (*see* Lemson et al). 2000;32:1155-63
Stuart WP, Adam DJ, Allan PL, Ruckley CV, Bradbury AW. The relationship between the number, competence, and diameter of medial calf perforating veins and the clinical status in healthy subjects and patients with lower-limb venous disease. 2000;32:138-43

Sugatani J (*see* Unno et al). 2000;32:263-7
Sugawara Y (*see* Kimura et al). 2000;32:353-63
Suggs WA (*see* Wain et al). 2000;32:307-14
Suggs WD (*see* Lipsitz et al). 2000;32:704-10
Sumner DS. Presidential address: entering the third millennium. 2000;32:833-9
Sumpio BE (*see* Azuma et al). 2000;32:789-94
Szendro G (*see* Kakkos et al). 2000;32:932-40

T

Tachibana M (*see* Nishimura et al). 2000;32:616-8 (Case rep.)
Taheri PA (*see* Greenfield et al). 2000;32:490-7
Takano Y (*see* Sasajima et al). 2000;32:374-82
Takinami M (*see* Washiyama et al). 2000;32:209-12 (Case rep.)
Talan M (*see* Gowdak et al). 2000;32:343-52
Tassiopoulos AK (*see* Labropoulos et al). 2000;32:663-8
Taylor LM Jr (*see* Foley et al). 2000;32:37-47
Taylor LM Jr (*see* Landry et al). 2000;32:23-31
Teh SH (*see* Panneton et al). 2000;32:711-21
Terada H (*see* Washiyama et al). 2000;32:209-12 (Case rep.)
Tetteroo E (*see* de Smet et al). 2000;32:153-9
Thompson MM (*see* Crowther et al). 2000;32:575-83
Thompson MM (*see* Hayes et al). 2000;32:299-306
Thompson MM (*see* Naylor et al). 2000;32:750-9
Throm RC (*see* Comerota et al). 2000;32:130-7
Timaran CH, Stevens SL, Grandas OH, Piercy KT, Freeman MB, Goldman MH. Influence of hormone replacement therapy on graft patency after femoropopliteal bypass grafting. 2000;32:506-18
Tober JC (*see* Kumins et al). 2000;32:1225-8
Toosie K (*see* de Virgilio et al). 2000;32:77-89
Tordoir JHM (*see* Lemson et al). 2000;32:1155-63
Towne JB. The distinguished service award for the Society for Vascular Surgery, 2000: D. Emerick Szilagyi. 2000;32:829-30 (Editorial)
Trachtenberg JD (*see* Bertges et al). 2000;32:634-42
Traoré A (*see* Dion et al). 2000;32:1006-14
Traul DK, Clair DG, Gray B, O'Hara PJ, Ouriel K. Percutaneous endovascular repair of infrarenal abdominal aortic aneurysms: a feasibility study. 2000;32:770-6
Travis JA, Hansen KJ, Miller PR, Dean RH, Geary RL. Aneurysmal degeneration and late rupture of an aortorenal vein graft: case report, review of the literature, and implications for conduit selection. 2000;32:612-5 (Case rep.)
Travis JA (*see* Hansen et al). 2000;32:472-82
Travis JA (*see* Motew et al). 2000;32:462-71
Treiman GS, Ashrafi A, Lawrence PF. Incidentally detected stenoses proximal to grafts originating below the common femoral artery: do they affect graft patency or warrant repair in asymptomatic patients? 2000;32:1180-9
Treiman GS (*see* Oderich et al). 2000;32:760-9
Tribble CG (*see* Parrino et al). 2000;32:171-8
Trieman GS, Lawrence PF, Rockwell WB. Autogenous arterial bypass grafts: durable patency and limb salvage in patients with inframalleolar occlusive disease and end-stage renal disease. 2000;32:13-22
Troyer A (*see* Rapp et al). 2000;32:68-76
Tsai FW, Tulsyan N, Jones DN, Abdel-Al N, Castronuovo JJ Jr, Carter SA. Skin perfusion pressure of the foot is a good substitute for toe pressure in the assessment of limb ischemia. 2000;32:32-6
Tsemekhin B (*see* Ascher et al). 2000;32:881-7
Tsukurov O (*see* Dai et al). 2000;32:977-87
Tulsyan N (*see* Tsai et al). 2000;32:32-6

U

Ubbink DT (*see* de Graaff et al). 2000;32:1172-9
Uchiyama T (*see* Unno et al). 2000;32:263-7
Unno N, Nakamura T, Kaneko H, Uchiyama T, Yamamoto N, Sugatani J, Miwa M, Nakamura S. Plasma platelet-activating factor acetylhydrolase deficiency is associated with atherosclerotic occlusive disease in Japan. 2000;32:263-7

V

Vainas T (*see* Hayes et al). 2000;32:299-306
Valazquez OC, Baum RA, Carpenter JP, Golden MA, Cohn M, Pyeron A, Barker CF, Criado FJ, Fairman RM. Relationship between preoperative patency of the inferior mesenteric artery and subsequent occurrence of type II endoleak in patients undergoing endovascular repair of abdominal aortic aneurysms. 2000;32:777-88
Valentine RJ, DeCaprio JD, Castillo JM, Modrall JG, Jackson MR, Clagett GP. Watchful waiting in cases of small abdominal aortic aneurysms—appropriate for all patients?. 2000;32:441-50
Valentine RJ (*see* Burkey et al). 2000;32:388-91 (Case rep.)
Valentine RJ (*see* Jackson et al). 2000;32:498-505
Vallabhaneni SR (*see* Harris et al). 2000;32:739-49
van Aalst JA, Madura JA II, DeLuca D, Kaufman BR, Margolin DA, fox PL, Graham LM. Regional differences in phorbol 12-myristate 13-acetate stimulation of PDGF production in the normal canine aorta. 2000;32:584-92
van Bockel JH (*see* Burger et al). 2000;32:278-83
van Bockel JH (*see* Schurink et al). 2000;32:795-803
van Det RJ (*see* Lemson et al). 2000;32:1155-63
van Marrewijk C (*see* Harris et al). 2000;32:739-49
Vanicky I (*see* Meylaerts et al). 2000;32:160-70
Vazquez MA (*see* Burkey et al). 2000;32:388-91 (Case rep.)
Veith FJ. The case for an independent American Board of Vascular Surgery. 2000;32:619-21
Veith FJ (*see* Kwei et al). 2000;32:397-401 (Case rep.)
Veith FJ (*see* Lipsitz et al). 2000;32:704-10
Veith FJ (*see* Palm et al). 2000;32:197-200 (Case rep.)
Veith FJ (*see* Wain et al). 2000;32:307-14
Velazquez OC (*see* Criado et al). 2000;32:684-8
Veldenz HC (*see* Sekharan et al). 2000;32:483-9
Velez PM (*see* Rapp et al). 2000;32:68-76
Verlato F, Camporese G, Bernardi E, Salmistraro G, Rocco S, Mayellaro V, Busonera F, Andreozzi GM. Clinical outcome of patients with internal carotid artery occlusion: a prospective follow-up study. 2000;32:293-8
Vu JH (*see* Blebea et al). 2000;32:364-73

W

Wain RA, Lyon RT, Veith FJ, Marin ML, Ohki T, Suggs WA, Lipsitz E. Alternative techniques for management of distal anastomoses of aortofemoral and iliofemoral endovascular grafts. 2000;32:307-14
Wain RA (*see* Lipsitz et al). 2000;32:704-10
Waldman D (*see* Green et al). 2000;32:315-21
Walsh DB (*see* Connors et al). 2000;32:1071-9
Walsh DB (*see* Powell et al). 2000;32:564-9
Waltham M, Burnand KG, Collins M, Smith A. Vascular endothelial growth factor and basic fibroblast growth factor are found in resolving venous thrombi. 2000;32:988-96
Washiyama N, Kazui T, Takinami M, Yamashita K, Terada H, Muhammad BAH, Miura K. Surgical treatment of recurrent abdominal aortic aneurysm in a patient with systemic lupus erythematosus. 2000;32:209-12 (Case rep.)
Waugh R (*see* May et al). 2000;32:124-9

Wautrecht JC (*see* Galle et al). 2000;32:234-46
Weber MA, Lidor A, Arora S, Salituro GM, Zhang BB, Sidawy AN. A novel insulin mimetic without a proliferative effect on vascular smooth muscle cells. 2000;32:1118-26
Webster MW (*see* Bertges et al). 2000;32:634-42
Weidemann H (*see* Knosalla et al). 2000;32:1034-7
Weinberg A (*see* Heller et al). 2000;32:1091-101
Weinzweiger N (*see* Kumins et al). 2000;32:848-54
Weiss VJ (*see* Lin et al). 2000;32:607-11 (Case rep.)
Welborn MB (*see* Seeger et al). 2000;32:451-61
Wellons E (*see* Criado et al). 2000;32:684-8
Welten RJTJ (*see* Lemson et al). 2000;32:1155-63
Weng YG (*see* Knosalla et al). 2000;32:1034-7
Westerband A (*see* Wixon CL et al). 2000;32:1-12
White GH (*see* May et al). 2000;32:124-9
White J (*see* Wladis et al). 2000;32:997-1005
White JV (*see* McDaniel et al). 2000;32:1239-50
White R (*see* de Virgilio et al). 2000;32:77-89
White RA (*see* Zarins et al). 2000;32:90-107
Widmann C (*see* Lang-Lazdunski et al). 2000;32:179-89
Wiley LA (*see* Cahan et al). 2000;32:537-43
Wille GA (*see* Rapp et al). 2000;32:68-76
Wilson EP (*see* Criado et al). 2000;32:684-8, 1137-41
Wilson JS (*see* Back et al). 2000;32:429-40
Wixon CL, Mills JL, Westerband A, Hughes JD, Inhat DM. An economic appraisal of lower extremity bypass graft maintenance. 2000;32:1-12
Wladis AR, Mesh CL, White J, Zenni GC, Fischer DB, Arbaugh JJ. Improving longevity of prosthetic dialysis grafts in patients with disadvantaged venous outflow. 2000;32:997-1005
Wolf YG, Fogarty TJ, Olcott C IV, Hill BB, Harris EJ, Mitchell RS, Miller DC, Dalman RL, Zarins CK. Endovascular repair of abdominal aortic aneurysms: eligibility rate and impact on the rate of open repair. 2000;32:519-23
Wolf YG, Hill BB, Rubin GD, Fogarty TJ, Zarins CK. Rate of change in abdominal aortic aneurysm diameter after endovascular repair. 2000;32:108-15
Wolf YG, Johnson BL, Hill BB, Rubin GD, Fogarty TJ, Zarins CK. Duplex ultrasound scanning versus computed tomographic angiography for postoperative evaluation of endovascular abdominal aortic aneurysm repair. 2000;32:1142-8
Wong JM (*see* Hansen et al). 2000;32:472-82
Wong JM (*see* Motew et al). 2000;32:462-71
Woo D (*see* Rockman et al). 2000;32:1062-70
Worthen LM, Nollert MU. Intracellular calcium response of endothelial cells exposed to flow in the presence of thrombin or histamine. 2000;32:593-601
Wu MHD (*see* Bhattacharya et al). 2000;32:116-23

Y

Yamamoto H (*see* Sasajima et al). 2000;32:374-82
Yamamoto N (*see* Unno et al). 2000;32:263-7
Yamashita K (*see* Washiyama et al). 2000;32:209-12 (Case rep.)
Yamazaki K (*see* Sasajima et al). 2000;32:374-82
Yang GP, Lee WA, Olcott C IV. Distal emboli as an unusual late complication of a thrombosed arteriovenous hemodialysis graft. 2000;32:1229-31
Yao JST, Mannick J. Lifeline Foundation and National Institutes of Health. 2000;32:1237-8
Yao JST (*see* Johnston et al). 2000;32:213-5 (Editorial)
Yeager RA (*see* Foley et al). 2000;32:37-47
Yeager RA (*see* Landry et al). 2000;32:23-31
Yorkovich (*see* Ascher et al). 2000;32:881-7
Yoshida Y (*see* Kimura et al). 2000;32:353-63
Young ML (*see* Owens et al). 2000;32:961-8

Z

Zagon IS (*see* Blebea et al). 2000;32:364-73
Zajko AB (*see* Rhee et al). 2000;32:689-96
Zamboni P. Regarding "Photoplethysmography and calf muscle pump function after subfascial endoscopic perforator ligation." 2000;32:1039-40 (Letter)
Zamboni P (*see* Manfredini and Zamboni). 2000;32:622 (Letter)
Zarins CK, White RA, Hodgson KJ, Schwarten D, Fogarty TJ. Endoleak as a predictor of outcome after endovascular aneurysm repair: AneuRx multicenter clinical trial. 2000;32:90-107
Zarins CK (*see* Wolf et al). 2000;32:108-15, 519-23, 1142-8
Zarka ZA (*see* Manfrini et al). 2000;32:330-42
Zelenock GB (*see* Bove et al). 2000;32:697-703
Zenni GC (*see* Wladis et al). 2000;32:997-1005
Zhang BB (*see* Weber et al). 2000;32:1118-26
Zhou L (*see* Galle et al). 2000;32:234-46
Zierler BK (*see* Meissner et al). 2000;32:48-56, 870-80
Zwolak R (*see* Powell et al). 2000;32:564-9
Zwolak RM (*see* Connors et al). 2000;32:1071-9

*Subject index**

A

Abdomen, surgery
External pneumatic compression and fibrinolysis in abdominal surgery (Cahan et al). 2000;32:537-43

Abdominal injuries
Percutaneous balloon fenestration in a case of traumatic abdominal aortic dissection with lower extremity ischemia (Nishimura). 2000;32:616-8 (Case rep.)
Survival of an aortic trauma patient with Ehlers-Danlos syndrome type IV: a case report (Levine). 2000;32:1219-21

Abnormalities
Surgical treatment of venous malformations in Klippel-Trénaunay syndrome (Noel et al). 2000;32:840-7

Abscess
Repair of a saccular aortic aneurysm with superficial femoral-popliteal vein in the presence of a pancreatic abscess (Rosen et al). 2000;32:1215-8

Alteplase
High accumulation of plasminogen and tissue plasminogen activator at the flow surface of mural fibrin in the human arterial system (Sasajima et al). 2000;32:374-82
In vivo retention of endothelial cells adenovirally transduced with tissue-type plasminogen activator and seeded onto expanded polytetrafluoroethylene (Kimura et al). 2000;32:353-63

Ambulatory surgery
Practicability and quality of outpatient management of acute deep venous thrombosis (Blättler et al). 2000;32:855-60

Anaphylaxis
Anaphylaxis after thrombin injection of a femoral pseudoaneurysm: recommendations for prevention (Pope and Johnston). 2000;32:190-1 (Case rep.)

Anastomosis, surgical
Alternative techniques for management of distal anastomoses of aortofemoral and iliofemoral endovascular grafts (Wain et al). 2000;32:307-14
The effect of a venous anastomosis Tyrell vein collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis (Gagne et al). 2000;32:1149-54
Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access (Lemson et al). 2000;32:1155-63
Enabling sutureless vascular bypass grafting with the exovascular sleeve anastomosis (Chang et al). 2000;32:524-30
Regarding "The effect of venous anastomosis Tyrell vein patch collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis" and "Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access" (Freischlag). 2000;32:1235-7
Regarding "Endovascular versus surgical treatment for thrombosed hemodialysis: a prospective, randomized study" (Farner) (Letter); (Dougherty) (Reply). 2000;32:1038-9

Aneurysm, aortic; *see* Aortic aneurysm
De novo renal artery aneurysm presenting 6 years after transplantation: a complication of recurrent arterial stenosis? (Burkey et al). 2000;32:388-91 (Case rep.)
Management of symptomatic and asymptomatic popliteal venous aneurysms: a retrospective analysis of 25 patients and review of the literature (Sessa et al). 2000;32:902-12

Aneurysm, false
Anaphylaxis after thrombin injection of a femoral pseudoaneurysm: recommendations for prevention (Pope and Johnston). 2000;32:190-1 (Case rep.)
Early experience with infectious complications of percutaneous femoral artery closure devices (Pipkin et al). 2000;32:205-8 (Case rep.)
Pseudoaneurysm of the popliteal artery caused by exostosis of the femur: case report and review of the literature (Matsushita et al). 2000;32:201-4 (Case rep.)
Subclavian artery disruption resulting from endovascular intervention: treatment options (Lin et al). 2000;32:606-11 (Case rep.)
Visceral pseudoaneurysms due to pancreatic pseudocysts: rare but lethal complications of pancreatitis (Carr et al). 2000;32:722-30

Aneurysm, infected
Early experience with infectious complications of percutaneous femoral artery closure devices (Pipkin et al). 2000;32:205-8 (Case rep.)

Aneurysm, ruptured
Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic adenoma (Palm et al). 2000;32:192-6 (Case rep.)
Aneurysmal degeneration and late rupture of an aortorenal vein graft: case report, review of the literature, and implications for conduit selection (Travis et al). 2000;32:606-11 (Case rep.)
The cost-effectiveness of repairing ruptured abdominal aortic aneurysm (Patel et al). 2000;32:247-57
Incidence and risk factors of late rupture, conversion, and death after endovascular repair of infrarenal aortic aneurysms: the EUROSTAR experience (Harris et al). 2000;32:739-49
The influence of gender on outcome after ruptured abdominal aortic aneurysm (Evans et al). 2000;32:258-62
Ruptured internal carotid aneurysm resulting from neurofibromatosis: treatment with intraluminal stent graft (Smith et al). 2000;32:824-8 (Case rep.)
Two decades of abdominal aortic aneurysm repair: have we made any progress? (Heller et al). 2000;32:1091-101

Angiogenesis; *see* Neovascularization

Angiography
Bedside carbon dioxide cavagrams for inferior vena cava filters: preliminary results (Sing et al). 2000;32:144-7
Duplex ultrasound scanning versus computed tomographic angiography for postoperative evaluation of endovascular abdominal aortic aneurysm repair (Wolf et al). 2000;32:1142-8
Magnetic resonance angiography is an accurate imaging adjunct to duplex ultrasound scan in patient selection for carotid endarterectomy (Back et al). 2000;32:429-40
Renal duplex sonography: main renal artery versus hilar analysis (Motew et al). 2000;32:462-71

Angioplasty
Claviculectomy for subclavian venous repair: long-term functional results (Green et al). 2000;32:315-21
Complicated emergent endovascular repair of a life-threatening bilateral internal jugular vein occlusion (Kwei et al). 2000;32:397-401 (Case rep.)
Endovenous management of saphenous vein reflux (Manfrini et al). 2000;32:330-42
Eversion endarterectomy of the carotid artery: technical con-

*July 1-218; August 219-410; September 411-626; October 627-832; November 833-1042; December 1043-1282.

siderations and recurrent stenoses (Green et al). 2000;32:1052-61
Predicting outcome of angioplasty and selective stenting of multisegment iliac artery occlusive disease (Powell et al). 2000;32:564-9
Transcommissural valvuloplasty: technique and results (Raju et al). 2000;32:969-76

Angioplasty, balloon
Initial evaluation of carotid angioplasty and stenting with three different cerebral protection devices (Parodi et al). 2000;32:1127-36
Noninvasive evaluation before and after percutaneous therapy of iliac artery stenoses: the value of the Bernoulli-predicted pressure gradient (de Smet et al). 2000;32:153-9
Percutaneous balloon fenestration in a case of traumatic abdominal aortic dissection with lower extremity ischemia (Nishimura et al). 2000;32:616-8 (Case rep.)
Subclavian artery disruption resulting from endovascular intervention: treatment options (Lin et al). 2000;32:606-11 (Case rep.)

Ankle
Lower ankle/brachial index, as calculated by averaging the dorsalis pedis and posterior tibial arterial pressures, and association with leg functioning in peripheral arterial disease (McDermott et al). 2000;32:1164-71

Aorta
Alternative techniques for management of distal anastomoses of aortofemoral and iliofemoral endovascular grafts (Wain et al). 2000;32:307-14
Idiopathic pedunculated mural thrombus of the nonaneurysmal infrarenal aorta presenting with popliteal embolization: two cases treated with thrombolytic therapy (Dougherty et al). 2000;32:383-7 (Case rep.)
Long-term outcome after treatment of aortic graft infection with staged extra-anatomic bypass grafting and aortic graft removal (Seeger et al). 2000;32:451-61
Regional differences in phorbol 12-myristate 13-acetate stimulation of PDGF production in the normal canine aorta (van Aalst et al). 2000;32:584-92

Aorta, abdominal
Increased amount of type III pN-collagen in human abdominal aortic aneurysms: evidence for impaired type III collagen fibrillogenesis (Bode et al). 2000;32:1201-7
Percutaneous balloon fenestration in a case of traumatic abdominal aortic dissection with lower extremity ischemia (Nishimura et al). 2000;32:616-8 (Case rep.)

Aorta, thoracic
Kommerell's diverticulum and aneurysmal right-sided aortic arch: a case report and review of the literature (Cinà et al). 2000;32:1208-14

Aortic aneurysm
Does the endovascular repair of aortoiliac aneurysms pose a radiation safety hazard to vascular surgeons? (Lipsitz et al). 2000;32:704-10
Endovascular repair of aortic allograft aneurysmal degeneration: a case report (Julia et al). 2000;32:1222-4

Aortic aneurysm, abdominal
Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic adenoma (Palm et al). 2000;32:192-6 (Case rep.)
Adverse consequences of internal iliac artery occlusion during endovascular repair of abdominal aortic aneurysms (Karch et al). 2000;32:676-83
Banding of the common iliac artery: an expedient in endoluminal correction of aortoiliac aneurysms (Puech-Leão). 2000;32:1232-4
Brachial artery catheterization to facilitate endovascular grafting of abdominal aortic aneurysm: safety and rationale (Criado et al). 2000;32:1137-41
Comparison of first-and second-generation prostheses for endoluminal repair of abdominal aortic aneurysms: a 6-year study with life table analysis (May et al). 2000;32:124-9
Complicated chronic pancreatitis causing mycotic aortic aneurysm: in situ replacement with a cryopreserved aortic allograft (Knosalla et al). 2000;32:1034-7
The cost-effectiveness of repairing ruptured abdominal aortic aneurysm (Patel et al). 2000;32:247-57
Duplex ultrasound scanning versus computed tomographic angiography for postoperative evaluation of endovascular abdominal aortic aneurysm repair (Wolf et al). 2000;32:1142-8
Early inflammatory response after elective abdominal aortic aneurysm repair: a comparison between endovascular procedure and conventional surgery (Galle et al). 2000;32:234-46
Endoleak as a predictor of outcome after endovascular aneurysm repair: AneuRx multicenter clinical trial (Zarins et al). 2000;32:90-107
Endovascular repair of abdominal aortic aneurysms: eligibility rate and impact on the rate of open repair (Wolf et al). 2000;32:519-23
An evaluation of the costs to health care institutions of endovascular aortic aneurysm repair (Clair et al). 2000;32:148-52
High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm (Brunelli et al). 2000;32:531-6
Incidence and risk factors of late rupture, conversion, and death after endovascular repair of infrarenal aortic aneurysms: the EUROSTAR experience (Harris et al). 2000;32:739-49
Increased amount of type III pN-collagen in human abdominal aortic aneurysms: evidence for impaired type III collagen fibrillogenesis (Bode et al). 2000;32:1201-7
Increased matrix metalloproteinase 2 expression in vascular smooth muscle cells cultured from abdominal aortic aneurysms (Crowther et al). 2000;32:575-83
The influence of gender on outcome after ruptured abdominal aortic aneurysm (Evans et al). 2000;32:258-62
Is routine use of the intensive care unit after elective infrarenal abdominal aortic aneurysm repair necessary? (Bertges et al). 2000;32:634-42
Laparoscopic-assisted abdominal aortic aneurysmectomy (Castronuovo et al). 2000;32:224-33
Long-term fate of the aneurysmal sac after endoluminal exclusion of abdominal aortic aneurysms (Rhee et al). 2000;32:689-96
Management of synchronous renal neoplasm and abdominal aortic aneurysm (Hafez et al). 2000;32:1102-10
Midline retroperitoneal versus midline transperitoneal approach for abdominal aortic aneurysm repair (Nakajima et al). 2000;32:219-23
Percutaneous endovascular repair of infrarenal abdominal aortic aneurysms: a feasibility study (Traul et al). 2000;32:770-6
Pulsatile wall motion and blood pressure in aneurysms with open and thrombosed endoleaks—comparison of a wall track system and M-mode ultrasound scanning: an in vitro and animal study (Schurink et al). 2000;32:795-803
Rate of change in abdominal aortic aneurysm diameter after endovascular repair (Wolf et al). 2000;32:108-15

Relationship between preoperative patency of the inferior mesenteric artery and subsequent occurrence of type II endoleak in patients undergoing endovascular repair of abdominal aortic aneurysms (Valazquez et al). 2000;32:777-88

Repair of a saccural aortic aneurysm with superficial femoral-popliteal vein in the presence of a pancreatic abscess (Rosen et al). 2000;32:1215-8

Safety of coil embolization of the internal iliac artery in endovascular grafting of abdominal aortic aneurysms (Criado et al). 2000;32:684-8

Surgical treatment of recurrent abdominal aortic aneurysm in a patient with systemic lupus erythematosus (Washiyama et al). 2000;32:209-12 (Case rep.)

Transrenal fixation of aortic stent-grafts for the treatment of infrarenal aortic aneurysmal disease (Bove et al). 2000;32:697-703

Two decades of abdominal aortic aneurysm repair: have we made any progress? (Heller et al). 2000;32:1091-101

Watchful waiting in cases of small abdominal aortic aneurysms—appropriate for all patients? (Valentine et al). 2000;32:441-50

Aortic aneurysm, thoracic

Extra-anatomic bypass grafting for aortoesophageal fistula: a logical operation (Madan et al). 2000;32:1030-3

Kommerell's diverticulum and aneurysmal right-sided aortic arch: a case report and review of the literature (Cinà et al). 2000;32:1208-14

Prevention of paraplegia in pigs by selective segmental artery perfusion during aortic cross-clamping (Meylaerts et al). 2000;32:160-70

Regarding "Emergency repair of thoracoabdominal aortic aneurysms: a word of caution on the numerical analysis of the results" (Mastroroberto et al) (Letter); (Carpenter) (Reply). 2000;32:408-9

Aortic arch; *see* Aorta, thoracic

Aortic rupture

Aortic fenestration for acute or chronic aortic dissection: an uncommon but effective procedure (Panneton et al). 2000;32:711-21

Percutaneous balloon fenestration in a case of traumatic abdominal aortic dissection with lower extremity ischemia (Nishimura et al). 2000;32:616-8 (Case rep.)

Survival of an aortic trauma patient with Ehlers-Danlos syndrome type IV: a case report (Levine). 2000;32:1219-21

Apolipoproteins A

Apolipoprotein (a) fragments in relation to human carotid plaque instability (Fortunato et al). 2000;32:555-63

Apoptosis

Apoptosis, proliferation, and p27 expression during vessel wall healing: time course study in a mouse model of transluminal femoral artery injury (Reis et al). 2000;32:1022-9

Arm

Lessons learned from a 6-year clinical experience with superior vena cava Greenfield filters (Ascher et al). 2000;32:881-7

Art

Presidential address: where science touches man, it turns to art (Gloviczki). 2000;32:627-33

Arterial occlusive diseases

Autogenous arterial bypass grafts: durable patency and limb salvage in patients with inframalleolar occlusive disease and end-stage renal disease (Trieman et al). 2000;32:13-22

Carotid-subclavian bypass grafting with polytetrafluoroethylene grafts for symptomatic subclavian artery stenosis or occlusion: a 20-year experience (AbuRahma et al). 2000;32:411-19

Clinical outcome of patients with internal carotid artery occlusion: a prospective follow-up study (Verlato et al). 2000;32:293-8

Incidentally detected stenoses proximal to grafts originating below the common femoral artery: do they affect graft patency or warrant repair in asymptomatic patients? (Treiman et al). 2000;32:1180-9

Plasma platelet-activating factor acetylhydrolase deficiency is associated with atherosclerotic occlusive disease in Japan (Unno et al). 2000;32:263-7

Predicting outcome of angioplasty and selective stenting of multisegment iliac artery occlusive disease (Powell et al). 2000;32:564-9

Subclavian artery disruption resulting from endovascular intervention: treatment options (Lin et al). 2000;32:606-11 (Case rep.)

Arteriovenous fistula

Arteriovenous fistulae complicating cardiac pacemaker lead extraction: recognition, evaluation and management (Kumins et al). 2000;32:1225-8

Endovascular repair of aortic allograft aneurysmal degeneration: a case report (Julia et al). 2000;32:1222-4

Arteriovenous malformations

Surgical treatment of venous malformations in Klippel-Trénaunay syndrome (Noel et al). 2000;32:840-7

Arteriovenous shunt, surgical

Bypass graft to the contralateral internal jugular vein for venous outflow obstruction of a functioning hemodialysis access fistula (Myers and Mukherjee). 2000;32:818-20 (Case rep.)

Distal emboli as an unusual late complication of a thrombosed arteriovenous hemodialysis graft (Yang et al). 2000;32:1229-31

Improving longevity of prosthetic dialysis grafts in patients with disadvantaged venous outflow (Wladis et al). 2000;32:997-1005

The Pruitt-Inahara shunt maintains mean middle cerebral artery velocities within 10% of preoperative values during carotid endarterectomy (Hayes et al). 2000;32:299-306

Use of shunts with eversion carotic endarterectomy (Chang et al). 2000;32:655-62

Arthritis, rheumatoid

Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance of concomitant arterial and venous disease (Hafner et al). 2000;32:322-9

Atherosclerosis

Apolipoprotein (a) fragments in relation to human carotid plaque instability (Fortunato et al). 2000;32:555-63

Management of ischemic nephropathy: dialysis-free survival after surgical repair (Hansen et al). 2000;32:472-82

B

Bacterial infections

Dacron carotid patch infection: a report of eight cases (Rizzo et al). 2000;32:602-6 (Case rep.)

Endovascular repair of aortic allograft aneurysmal degeneration: a case report (Julia et al). 2000;32:1222-4

Biological markers

Markers of plasma coagulation and fibrinolysis after acute

deep venous thrombosis (Meissner et al). 2000;32:870-80

Blood flow velocity

The acute effects of intermittent pneumatic foot versus calf versus simultaneous foot and calf compression on popliteal artery hemodynamics: a comparative study (Delis et al). 2000;32:284-92

Endothelial cell response to different mechanical forces (Azuma et al). 2000;32:789-94

An in vitro cell culture system to study the influence of external pneumatic compression on endothelial function (Dai et al). 2000;32:977-87

The Pruitt-Inahara shunt maintains mean middle cerebral artery velocities within 10% of preoperative values during carotid endarterectomy (Hayes et al). 2000;32:299-306

Blood pressure

Pulsatile wall motion and blood pressure in aneurysms with open and thrombosed endoleaks—comparison of a wall track system and M-mode ultrasound scanning: an in vitro and animal study (Schurink et al). 2000;32:795-803

Skin perfusion pressure of the foot is a good substitute for toe pressure in the assessment of limb ischemia (Tsai et al). 2000;32:32-6

Blood pressure determination

Lower ankle/brachial index, as calculated by averaging the dorsalis pedis and posterior tibial arterial pressures, and association with leg functioning in peripheral arterial disease (McDermott et al). 2000;32:1164-71

The usefulness of laser Doppler scanning in the measurement of toe blood pressures (de Graaff et al). 2000;32:1172-9

Blood vessel prosthesis

Administration of granulocyte colony-stimulating factor enhances endothelialization and microvessel formation in small-caliber synthetic vascular grafts (Bhattacharya et al). 2000;32:116-23

Autogenous arterial bypass grafts: durable patency and limb salvage in patients with inframalleolar occlusive disease and end-stage renal disease (Trieman et al). 2000;32:13-22

A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study (Johnson and Lee). 2000;32:268-77

A comparative study of alternative conduits for lower extremity revascularization: all-autogenous conduit versus prosthetic grafts (Faries et al). 2000;32:1080-90

Comparison of first-and second-generation prostheses for endoluminal repair of abdominal aortic aneurysms: a 6-year study with life table analysis (May et al). 2000;32:124-9

The consequences of a failed femoropopliteal bypass grafting: comparison of saphenous vein and PTFE grafts (Jackson et al). 2000;32:498-505

Dacron carotid patch infection: a report of eight cases (Rizzo et al). 2000;32:602-6 (Case rep.)

Endoleak as a predictor of outcome after endovascular aneurysm repair: AneuRx multicenter clinical trial (Zarins et al). 2000;32:90-107

Influence of hormone replacement therapy on graft patency after femoropopliteal bypass grafting (Timaran et al). 2000;32:506-18

Long-term fate of the aneurysmal sac after endoluminal exclusion of abdominal aortic aneurysms (Rhee et al). 2000;32:689-96

Long-term outcome after treatment of aortic graft infection with staged extra-anatomic bypass grafting and aortic graft removal (Seeger et al). 2000;32:451-61

Rate of change in abdominal aortic aneurysm diameter after endovascular repair (Wolf et al). 2000;32:108-15

Blood vessel **prosthesis implantation**

Banding of the common iliac artery: an expedient in endoluminal correction of aortoiliac aneurysms (Puech-Leão). 2000;32:1232-4

Brachial artery catheterization to facilitate endovascular grafting of abdominal aortic aneurysm: safety and rationale (Criado et al). 2000;32:1137-41

Carotid-subclavian bypass grafting with polytetrafluoroethylene grafts for symptomatic subclavian artery stenosis or occlusion: a 20-year experience (AbuRahma et al). 2000;32:411-9

Complicated chronic pancreatitis causing mycotic aortic aneurysm: in situ replacement with a cryopreserved aortic allograft (Knosalla et al). 2000;32:1034-7

Enabling sutureless vascular bypass grafting with the exovascular sleeve anastomosis (Chang et al). 2000;32:524-30

Endovascular repair of abdominal aortic aneurysms: eligibility rate and impact on the rate of open repair (Wolf et al). 2000;32:519-23

Endovascular repair of aortic allograft aneurysmal degeneration: a case report (Julia et al). 2000;32:1222-4

Extra-anatomic bypass grafting for aortoesophageal fistula: a logical operation (Madan et al). 2000;32:1030-3

P values may lack power: the choice of conduit for above-knee femoropopliteal bypass graft (Mills). 2000;32:402-5 (Commentary)

Patency and characteristics of lower extremity vein grafts requiring multiple revisions (Landry et al). 2000;32:23-31

Pedal branch artery bypass: a viable limb salvage option (Connors et al). 2000;32:1071-9

Percutaneous endovascular repair of infrarenal abdominal aortic aneurysms: a feasibility study (Traul et al). 2000;32:770-6

A prospective randomized trial comparing vein with polytetrafluoroethylene in above-knee femoropopliteal bypass grafting (Burger et al). 2000;32:278-83

Repair of a saccural aortic aneurysm with superficial femoral-popliteal vein in the presence of a pancreatic abscess (Rosen et al). 2000;32:1215-8

Suggested treatment protocol for improving patency of femoral-infrapopliteal cryopreserved saphenous vein allografts (Buckley et al). 2000;32:731-8

Use of shunts with eversion carotic endarterectomy (Chang et al). 2000;32:655-62

Book reviews

Book reviews. 2000;32:216-18, 410, 623-5, 831-2, 1041-3, 1251-2

Books received

Books received. 2000;32:409, 832, 1062-701, 1252

Brachial artery

Brachial artery catheterization to facilitate endovascular grafting of abdominal aortic aneurysm: safety and rationale (Criado et al). 2000;32:1137-41

Lower ankle/brachial index, as calculated by averaging the dorsalis pedis and posterior tibial arterial pressures, and association with leg functioning in peripheral arterial disease (McDermott et al). 2000;32:1164-71

Brachiocephalic veins

Crushed stents in benign left brachiocephalic vein stenoses

(Hammer et al). 2000;32:392-6 (Case rep.)

C

Calcium
Intracellular calcium response of endothelial cells exposed to flow in the presence of thrombin or histamine (Worthen and Nollert). 2000;32:593-601

Calmodulin-dependent protein kinases
Endothelial cell response to different mechanical forces (Azuma et al). 2000;32:789-94

Carbon dioxide
Bedside carbon dioxide cavagrams for inferior vena cava filters: preliminary results (Sing et al). 2000;32:144-7

Carotid arteries
Adenoviral-mediated uteroglobin gene transfer inhibits neointimal hyperplasia after balloon injury in the rat carotid artery (Larson et al). 2000;32:1111-7
Apolipoprotein (a) fragments in relation to human carotid plaque instability (Fortunato et al). 2000;32:555-63
Initial evaluation of carotid angioplasty and stenting with three different cerebral protection devices (Parodi et al). 2000;32:1127-36

Carotid artery, internal
Clinical outcome of patients with internal carotid artery occlusion: a prospective follow-up study (Verlato et al). 2000;32:293-8
Intraoperative use of stents for the management of unacceptable distal internal carotid artery end points during carotid endarterectomy: short-term and midterm results (Ross and Ranval). 2000;32:420-8
Nonrecurrent laryngeal nerve during carotid artery surgery: case report and literature review (Coady et al). 2000;32:192-6 (Case rep.)
Ruptured internal carotid aneurysm resulting from neurofibromatosis: treatment with intraluminal stent graft (Smith et al). 2000;32:824-8 (Case rep.)

Carotid body tumor
Malignant carotid body tumor: a case report (Dias da Silva et al). 2000;32:821-3 (Case rep.)

Carotid endarterectomy; *see* Endarterectomy, carotid

Case reports
Case reports. 2000;32:190-212, 383-401, 602-18, 814-28, 1030-7

Catheterization
Brachial artery catheterization to facilitate endovascular grafting of abdominal aortic aneurysm: safety and rationale (Criado et al). 2000;32:1137-41

Celiac artery
Laparoscopic release of celiac artery compression syndrome facilitated by laparoscopic ultrasound scanning to confirm restoration of flow (Roayaie et al). 2000;32:814-17 (Case rep.)

Cell death
Atheroemboli to the brain: size threshold for causing acute neuronal cell death (Rapp et al). 2000;32:57-67

Cell division
Apoptosis, proliferation, and p27 expression during vessel wall healing: time course study in a mouse model of transluminal femoral artery injury (Reis et al). 2000;32:1022-9
A novel insulin mimetic without a proliferative effect on vascular smooth muscle cells (Weber et al). 2000;32:1118-26
Recombinant thrombomodulin inhibits arterial smooth muscle cell proliferation induced by thrombin (Li et al). 2000;32:804-13

Cells, cultured
An in vitro cell culture system to study the influence of external pneumatic compression on endothelial function (Dai et al). 2000;32:977-87
Increased matrix metalloproteinase 2 expression in vascular smooth muscle cells cultured from abdominal aortic aneurysms (Crowther et al). 2000;32:575-83
Regional differences in phorbol 12-myristate 13-acetate stimulation of PDGF production in the normal canine aorta (van Aalst et al). 2000;32:584-92

Cerebral embolism and thrombosis
Atheroemboli to the brain: size threshold for causing acute neuronal cell death (Rapp et al). 2000;32:57-67

Cerebrovascular disorders
Immediate reexploration for the perioperative neurologic event after carotid endarterectomy: is it worthwhile? (Rockman et al). 2000;32:1062-70
Reducing the risk of carotid surgery: a 7-year audit of the role of monitoring and quality control assessment (Naylor et al). 2000;32:750-9

Certification
The case for an independent American Board of Vascular Surgery (Veith). 2000;32:619-21

Clavicle
Claviculectomy for subclavian venous repair: long-term functional results (Green et al). 2000;32:315-21

Coagulation
Markers of plasma coagulation and fibrinolysis after acute deep venous thrombosis (Meissner et al). 2000;32:870-80

Collagen
Increased amount of type III pN-collagen in human abdominal aortic aneurysms: evidence for impaired type III collagen fibrillogenesis (Bode et al). 2000;32:1201-7

Conflict of interest
Joint Council guidelines for disclosure of conflict of interest (Johnston et al). 2000;32:213-5 (Editorial)

Coronary disease
Dipyridamole-thallium/sestamibi before vascular surgery: a prospective blinded study in moderate-risk patients (de Virgilio et al). 2000;32:77-89

Cost-benefit analysis
The cost-effectiveness of repairing ruptured abdominal aortic aneurysm (Patel et al). 2000;32:247-57

Cost control
Carotid endarterectomy: the financial impact of practice changes (Calton et al). 2000;32:643-8
An evaluation of the costs to health care institutions of endovascular aortic aneurysm repair (Clair et al). 2000;32:148-52

Cranial nerves
Cranial and cervical nerve injuries after repeat carotid endarterectomy (AbuRahma and Choueiri). 2000;32:649-54

Cryopreservation
Complicated chronic pancreatitis causing mycotic aortic aneurysm: in situ replacement with a cryopreserved aortic allograft (Knosalla et al). 2000;32:1034-7
Suggested treatment protocol for improving patency of femoral-infrapopliteal cryopreserved saphenous vein allografts (Buckley et al). 2000;32:731-8

D

Dipyridamole
Dipyridamole-thallium/sestamibi before vascular surgery: a prospective blinded study in moderate-risk patients (de

Virgilio et al). 2000;32:77-89

Disease models, animal
Role of neuropeptide Y in the development of two-kidney, one-clip renovascular hypertension in the rat (Shin et al). 2000;32:1015-21

Diverticulum
Kommerell's diverticulum and aneurysmal right-sided aortic arch: a case report and review of the literature (Cinà et al). 2000;32:1208-14

Duplex scan; *see* Ultrasound, Doppler, duplex

E

Editorials
Editorials. 2000;32:213-15, 829-30

Ehlers-Danlos syndrome
Survival of an aortic trauma patient with Ehlers-Danlos syndrome type IV: a case report (Levine). 2000;32:1219-21

Embolization, therapeutic
Adverse consequences of internal iliac artery occlusion during endovascular repair of abdominal aortic aneurysms (Karch et al). 2000;32:676-83
Safety of coil embolization of the internal iliac artery in endovascular grafting of abdominal aortic aneurysms (Criado et al). 2000;32:684-8
Visceral pseudoaneurysms due to pancreatic pseudocysts: rare but lethal complications of pancreatitis (Carr et al). 2000;32:722-30

Endarterectomy, carotid
Apolipoprotein (a) fragments in relation to human carotid plaque instability (Fortunato et al). 2000;32:555-63
Atheroemboli to the brain: size threshold for causing acute neuronal cell death (Rapp et al). 2000;32:57-67
Carotid endarterectomy: the financial impact of practice changes (Calton et al). 2000;32:643-8
Cranial and cervical nerve injuries after repeat carotid endarterectomy (AbuRahma and Choueiri). 2000;32:649-54
Dacron carotid patch infection: a report of eight cases (Rizzo et al). 2000;32:602-6 (Case rep.)
Eversion endarterectomy of the carotid artery: technical considerations and recurrent stenoses (Green et al). 2000;32:1052-61
Factors predicting prolonged length of stay after carotid endarterectomy (Estes et al). 2000;32:550-4
Frequency of postoperative carotid duplex surveillance and type of closure: results from a randomized trial (AbuRahma et al). 2000;32:1043-51
Immediate reexploration for the perioperative neurologic event after carotid endarterectomy: is it worthwhile? (Rockman et al). 2000;32:1062-70
Intraoperative use of stents for the management of unacceptable distal internal carotid artery end points during carotid endarterectomy: short-term and midterm results (Ross and Ranval). 2000;32:420-8
Magnetic resonance angiography is an accurate imaging adjunct to duplex ultrasound scan in patient selection for carotid endarterectomy (Back et al). 2000;32:429-40
Nonrecurrent laryngeal nerve during carotid artery surgery: case report and literature review (Coady et al). 2000;32:192-6 (Case rep.)
The Pruitt-Inahara shunt maintains mean middle cerebral artery velocities within 10% of preoperative values during carotid endarterectomy (Hayes et al). 2000;32:299-306
Reducing the risk of carotid surgery: a 7-year audit of the role of monitoring and quality control assessment (Naylor et al). 2000;32:750-9
Use of shunts with eversion carotic endarterectomy (Chang et al). 2000;32:655-62

Endoleakage; *see* Postoperative complications

Endorphins
Opioid growth factor modulates angiogenesis (Blebea et al). 2000;32:364-73

Endothelial growth factors
Induction of angiogenesis by cationic lipid-mediated VEGF165 gene transfer in the rabbit ischemic hindlimb model (Gowdak et al). 2000;32:343-52
Vascular endothelial growth factor and basic fibroblast growth factor are found in resolving venous thrombi (Waltham et al). 2000;32:988-96

Endothelium, vascular
Adenoviral-mediated uteroglobin gene transfer inhibits neointimal hyperplasia after balloon injury in the rat carotid artery (Larson et al). 2000;32:1111-7
Administration of granulocyte colony-stimulating factor enhances endothelialization and microvessel formation in small-caliber synthetic vascular grafts (Bhattacharya et al). 2000;32:116-23
Endothelial cell response to different mechanical forces (Azuma et al). 2000;32:789-94
High accumulation of plasminogen and tissue plasminogen activator at the flow surface of mural fibrin in the human arterial system (Sasajima et al). 2000;32:374-82
An in vitro cell culture system to study the influence of external pneumatic compression on endothelial function (Dai et al). 2000;32:977-87
In vivo retention of endothelial cells adenovirally transduced with tissue-type plasminogen activator and seeded onto expanded polytetrafluoroethylene (Kimura et al). 2000;32:353-63
Intracellular calcium response of endothelial cells exposed to flow in the presence of thrombin or histamine (Worthen and Nollert). 2000;32:593-601
Vascular endothelial growth factor and basic fibroblast growth factor are found in resolving venous thrombi (Waltham et al). 2000;32:988-96

Enkephalin, methionine
Opioid growth factor modulates angiogenesis (Blebea et al). 2000;32:364-73

Equipment design
The efficacy of the SCD Response Compression system in the presence of venous stasis (Kakkos et al). 2000;32:932-40
The percutaneous Greenfield filter: outcomes and practice patterns (Greenfield and Proctor). 2000;32:888-93

Esophageal fistula
Extra-anatomic bypass grafting for aortoesophageal fistula: a logical operation (Madan et al). 2000;32:1030-3

Estradiol
High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women (Ciardullo et al). 2000;32:544-9

Estrogen replacement therapy
Influence of hormone replacement therapy on graft patency after femoropopliteal bypass grafting (Timaran et al). 2000;32:506-18

F

Femoral artery
Alternative techniques for management of distal anastomoses of aortofemoral and iliofemoral endovascular grafts (Wain et al). 2000;32:307-14
Anaphylaxis after thrombin injection of a femoral pseudoaneurysm: recommendations for prevention (Pope and Johnston). 2000;32:190-1 (Case rep.)
Apoptosis, proliferation, and p27 expression during vessel wall healing: time course study in a mouse model of transluminal femoral artery injury (Reis et al). 2000;32:1022-9
A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study (Johnson and Lee). 2000;32:268-77
The consequences of a failed femoropopliteal bypass grafting: comparison of saphenous vein and PTFE grafts (Jackson et al). 2000;32:498-505
Early experience with infectious complications of percutaneous femoral artery closure devices (Pipkin et al). 2000;32:205-8 (Case rep.)
Incidentally detected stenoses proximal to grafts originating below the common femoral artery: do they affect graft patency or warrant repair in asymptomatic patients? (Treiman et al). 2000;32:1180-9
Influence of hormone replacement therapy on graft patency after femoropopliteal bypass grafting (Timaran et al). 2000;32:506-18
P values may lack power: the choice of conduit for above-knee femoropopliteal bypass graft (Mills). 2000;32:402-5 (Commentary)
A prospective randomized trial comparing vein with polytetrafluoroethylene in above-knee femoropopliteal bypass grafting (Burger et al). 2000;32:278-83
Suggested treatment protocol for improving patency of femoral-infrapopliteal cryopreserved saphenous vein allografts (Buckley et al). 2000;32:731-8

Femoral neoplasms
Pseudoaneurysm of the popliteal artery caused by exostosis of the femur: case report and review of the literature (Matsushita et al). 2000;32:201-4 (Case rep.)

Femoral vein
Repair of a saccural aortic aneurysm with superficial femoral-popliteal vein in the presence of a pancreatic abscess (Rosen et al). 2000;32:1215-8

Fenestration
Aortic fenestration for acute or chronic aortic dissection: an uncommon but effective procedure (Panneton et al). 2000;32:711-21

Fibrin
High accumulation of plasminogen and tissue plasminogen activator at the flow surface of mural fibrin in the human arterial system (Sasajima et al). 2000;32:374-82

Fibrinolysis
External pneumatic compression and fibrinolysis in abdominal surgery (Cahan et al). 2000;32:537-43
Markers of plasma coagulation and fibrinolysis after acute deep venous thrombosis (Meissner et al). 2000;32:870-80

Fibroblast growth factor
Vascular endothelial growth factor and basic fibroblast growth factor are found in resolving venous thrombi (Waltham et al). 2000;32:988-96

Foot
Differences in pressures of the popliteal, long saphenous, and dorsal foot veins (Neglén and Raju). 2000;32:894-901
Pedal branch artery bypass: a viable limb salvage option (Connors et al). 2000;32:1071-9

Foundations
Lifeline Foundation and National Institutes of Health (Yao and Mannick). 2000;32:1237-8

G

Gastroduodenal artery
Visceral pseudoaneurysms due to pancreatic pseudocysts: rare but lethal complications of pancreatitis (Carr et al). 2000;32:722-30

Gastrointestinal hemorrhage
Extra-anatomic bypass grafting for aortoesophageal fistula: a logical operation (Madan et al). 2000;32:1030-3

Gender; *see* Sex factors

Gene transfer
Adenoviral-mediated uteroglobin gene transfer inhibits neointimal hyperplasia after balloon injury in the rat carotid artery (Larson et al). 2000;32:1111-7
Adventitial versus intimal liposome-mediated ex vivo transfection of canine saphenous vein grafts with endothelial nitric oxide synthase gene (Kalra et al). 2000;32:1190-200
Induction of angiogenesis by cationic lipid-mediated VEGF165 gene transfer in the rabbit ischemic hindlimb model (Gowdak et al). 2000;32:343-52

Graft occlusion, vascular
Distal emboli as an unusual late complication of a thrombosed arteriovenous hemodialysis graft (Yang et al). 2000;32:1229-31
The effect of a venous anastomosis Tyrell vein collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis (Gagne et al). 2000;32:1149-54
Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access (Lemson et al). 2000;32:1155-63
Incidentally detected stenoses proximal to grafts originating below the common femoral artery: do they affect graft patency or warrant repair in asymptomatic patients? (Treiman et al). 2000;32:1180-9

Graft survival
Improving longevity of prosthetic dialysis grafts in patients with disadvantaged venous outflow (Wladis et al). 2000;32:997-1005

Granulocyte colony-stimulating factor
Administration of granulocyte colony-stimulating factor enhances endothelialization and microvessel formation in small-caliber synthetic vascular grafts (Bhattacharya et al). 2000;32:116-23

Guidelines; *see* Practice guidelines

H

Health care costs
Carotid endarterectomy: the financial impact of practice changes (Calton et al). 2000;32:643-8
An evaluation of the costs to health care institutions of endovascular aortic aneurysm repair (Clair et al). 2000;32:148-52
Extended outcome assessment in the care of vascular diseases: revising the paradigm for the 21st century (McDaniel et al). 2000;32:1239-50

Heart catheterization
Early experience with infectious complications of percutaneous femoral artery closure devices (Pipkin et al). 2000;32:205-8 (Case rep.)
Hemodialysis
Bypass graft to the contralateral internal jugular vein for venous outflow obstruction of a functioning hemodialysis access fistula (Myers and Mukherjee). 2000;32:818-20 (Case rep.)
Crushed stents in benign left brachiocephalic vein stenoses (Hammer et al). 2000;32:392-6 (Case rep.)
Distal emboli as an unusual late complication of a thrombosed arteriovenous hemodialysis graft (Yang et al). 2000;32:1229-31
The effect of a venous anastomosis Tyrell vein collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis (Gagne et al). 2000;32:1149-54
Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access (Lemson et al). 2000;32:1155-63
Improving longevity of prosthetic dialysis grafts in patients with disadvantaged venous outflow (Wladis et al). 2000;32:997-1005
Regarding "The effect of venous anastomosis Tyrell vein patch collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis" and "Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access" (Freischlag). 2000;32:1235-7
Regarding "Endovascular versus surgical treatment for thrombosed hemodialysis: a prospective, randomized study" (Farner) (Letter); (Dougherty) (Reply). 2000;32:1038-9
Hemofiltration
Initial evaluation of carotid angioplasty and stenting with three different cerebral protection devices (Parodi et al). 2000;32:1127-36
Heparin, low-molecular-weight
Compression and walking versus bed rest in the treatment of proximal deep venous thrombosis with low molecular weight heparin (Partsch and Blättler). 2000;32:861-9
Histamine
Intracellular calcium response of endothelial cells exposed to flow in the presence of thrombin or histamine (Worthen and Nollert). 2000;32:593-601
History of medicine
Presidential address: entering the third millennium (Sumner). 2000;32:833-9
Homocysteine
High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm (Brunelli et al). 2000;32:531-6
Hypertension, renovascular
Role of neuropeptide Y in the development of two-kidney, one-clip renovascular hypertension in the rat (Shin et al). 2000;32:1015-21
Hypoglycemic agents
A novel insulin mimetic without a proliferative effect on vascular smooth muscle cells (Weber et al). 2000;32:1118-26

I

Iliac aneurysm
Banding of the common iliac artery: an expedient in endoluminal correction of aortoiliac aneurysms (Puech-Leão). 2000;32:1232-4
Does the endovascular repair of aortoiliac aneurysms pose a radiation safety hazard to vascular surgeons? (Lipsitz et al). 2000;32:704-10
Iliac artery
Adverse consequences of internal iliac artery occlusion during endovascular repair of abdominal aortic aneurysms (Karch et al). 2000;32:676-83
Alternative techniques for management of distal anastomoses of aortofemoral and iliofemoral endovascular grafts (Wain et al). 2000;32:307-14
Banding of the common iliac artery: an expedient in endoluminal correction of aortoiliac aneurysms (Puech-Leão). 2000;32:1232-4
Catheter-directed thrombolysis for iliofemoral deep venous thrombosis improves health-related quality of life (Comerota et al). 2000;32:124-9
Noninvasive evaluation before and after percutaneous therapy of iliac artery stenoses: the value of the Bernoulli-predicted pressure gradient (de Smet et al). 2000;32:153-9
Predicting outcome of angioplasty and selective stenting of multisegment iliac artery occlusive disease (Powell et al). 2000;32:564-9
Safety of coil embolization of the internal iliac artery in endovascular grafting of abdominal aortic aneurysms (Criado et al). 2000;32:684-8
In memoriam
Kazi Mobin-Uddin, 1930-1999 (Hussain). 2000;32:406-7
Infection
Complicated chronic pancreatitis causing mycotic aortic aneurysm: in situ replacement with a cryopreserved aortic allograft (Knosalla et al). 2000;32:1034-7
Long-term outcome after treatment of aortic graft infection with staged extra-anatomic bypass grafting and aortic graft removal (Seeger et al). 2000;32:451-61
Inflammation
Early inflammatory response after elective abdominal aortic aneurysm repair: a comparison between endovascular procedure and conventional surgery (Galle et al). 2000;32:234-46
Insulin
A novel insulin mimetic without a proliferative effect on vascular smooth muscle cells (Weber et al). 2000;32:1118-26
Intensive care units
Is routine use of the intensive care unit after elective infrarenal abdominal aortic aneurysm repair necessary? (Bertges et al). 2000;32:634-42
International Society for Cardiovascular Surgery, North American Chapter
Joint Council guidelines for disclosure of conflict of interest (Johnston et al). 2000;32:213-5 (Editorial)
Intestines
Revascularization of the superior mesenteric artery alone for treatment of intestinal ischemia (Foley et al). 2000;32:37-47
Ischemia
Management of ischemic nephropathy: dialysis-free survival after surgical repair (Hansen et al). 2000;32:472-82
Noninvasive evaluation before and after percutaneous therapy of iliac artery stenoses: the value of the Bernoulli-predicted pressure gradient (de Smet et al). 2000;32:153-9
Prevention of ischemic spinal cord injury: comparative effects of magnesium sulfate and riluzole (Lang-Lazdunski et al). 2000;32:179-89
Retrograde venous perfusion with hypothermic saline and adenosine for protection of the ischemic spinal cord (Parrino et al). 2000;32:171-8

Revascularization of the superior mesenteric artery alone for treatment of intestinal ischemia (Foley et al). 2000;32:37-47
Skin perfusion pressure of the foot is a good substitute for toe pressure in the assessment of limb ischemia (Tsai et al). 2000;32:32-6

J

Jugular veins
Bypass graft to the contralateral internal jugular vein for venous outflow obstruction of a functioning hemodialysis access fistula (Myers and Mukherjee). 2000;32:818-20 (Case rep.)
Complicated emergent endovascular repair of a life-threatening bilateral internal jugular vein occlusion (Kwei et al). 2000;32:397-401 (Case rep.)

K

Ki-67 antigens
Apoptosis, proliferation, and p27 expression during vessel wall healing: time course study in a mouse model of transluminal femoral artery injury (Reis et al). 2000;32:1022-9
Kidney failure, chronic
Autogenous arterial bypass grafts: durable patency and limb salvage in patients with inframalleolar occlusive disease and end-stage renal disease (Trieman et al). 2000;32:13-22
Management of ischemic nephropathy: dialysis-free survival after surgical repair (Hansen et al). 2000;32:472-82
Kidney neoplasms
Management of synchronous renal neoplasm and abdominal aortic aneurysm (Hafez et al). 2000;32:1102-10
Kidney transplantation
De novo renal artery aneurysm presenting 6 years after transplantation: a complication of recurrent arterial stenosis? (Burkey et al). 2000;32:388-91 (Case rep.)

L

Laparoscopy
Laparoscopic-assisted abdominal aortic aneurysmectomy (Castronuovo et al). 2000;32:224-33
Laparoscopic release of celiac artery compression syndrome facilitated by laparoscopic ultrasound scanning to confirm restoration of flow (Roayaie et al). 2000;32:814-7 (Case rep.)
Laser-Doppler flowmetry
The usefulness of laser Doppler scanning in the measurement of toe blood pressures (de Graaff et al). 2000;32:1172-9
Leg
A comparative study of alternative conduits for lower extremity revascularization: all-autogenous conduit versus prosthetic grafts (Faries et al). 2000;32:1080-90
An economic appraisal of lower extremity bypass graft maintenance (Wixon et al). 2000;32:1-12
Patency and characteristics of lower extremity vein grafts requiring multiple revisions (Landry et al). 2000;32:23-31
The relationship between lower limb symptoms and superficial and deep venous reflux on duplex ultrasonography: the Edinburgh Vein Study (Bradbury et al). 2000;32:921-31
The relationship between the number, competence, and diameter of medial calf perforating veins and the clinical status in healthy subjects and patients with lower-limb venous disease (Stuart et al). 2000;32:124-9
Leg ulcer
Free tissue transfer provides durable treatment for large nonhealing venous ulcers (Kumins et al). 2000;32:848-54
Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance of concomitant arterial and venous disease (Hafner et al). 2000;32:322-9
Length of stay
Factors predicting prolonged length of stay after carotid endarterectomy (Estes et al). 2000;32:550-4
Is routine use of the intensive care unit after elective infrarenal abdominal aortic aneurysm repair necessary? (Bertges et al). 2000;32:634-42
Letters
Letters. 2000;32:408-9, 622, 1038-40
Lifeline Foundation
Lifeline Foundation and National Institutes of Health (Yao and Mannick). 2000;32:1237-8
Ligation
Defining the role of extended saphenofemoral junction ligation: a prospective comparative study (Chandler et al). 2000;32:941-53
Lower extremity; *see* Leg
Lupus erythematosus, systemic
Surgical treatment of recurrent abdominal aortic aneurysm in a patient with systemic lupus erythematosus (Washiyama et al). 2000;32:209-12 (Case rep.)

M

Magnesium sulfate
Prevention of ischemic spinal cord injury: comparative effects of magnesium sulfate and riluzole (Lang-Lazdunski et al). 2000;32:179-89
Magnetic resonance imaging
Endovascular procedures under near-real-time magnetic resonance imaging guidance: an experimental feasibility study (Dion et al). 2000;32:1006-14
Magnetic resonance angiography is an accurate imaging adjunct to duplex ultrasound scan in patient selection for carotid endarterectomy (Back et al). 2000;32:429-40
MAP kinases; *see* Calmodulin-dependent protein kinases
Medicine in art
Presidential address: Where science touches man, it turns to art (Gloviczki). 2000;32:627-33
Menopause
High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women (Ciardullo et al). 2000;32:544-9
Mesenteric arteries
Relationship between preoperative patency of the inferior mesenteric artery and subsequent occurrence of type II endoleak in patients undergoing endovascular repair of abdominal aortic aneurysms (Valazquez et al). 2000;32:777-88
Revascularization of the superior mesenteric artery alone for treatment of intestinal ischemia (Foley et al). 2000;32:37-47
Metalloproteinases
Increased matrix metalloproteinase 2 expression in vascular smooth muscle cells cultured from abdominal aortic aneurysms (Crowther et al). 2000;32:575-83
Microtubule-associated proteins
Apoptosis, proliferation, and p27 expression during vessel wall

healing: time course study in a mouse model of transluminal femoral artery injury (Reis et al). 2000;32:1022-9

Mobin-Uddin, Kazi
Kazi Mobin-Uddin, 1930-1999 (Hussain). 2000;32:406-7

Muscle, smooth, vascular
Increased matrix metalloproteinase 2 expression in vascular smooth muscle cells cultured from abdominal aortic aneurysms (Crowther et al). 2000;32:575-83
The lack of proliferation of a new insulin mimetic on vascular smooth muscle cells (Weber et al). 2000;32:1118-26
Recombinant thrombomodulin inhibits arterial smooth muscle cell proliferation induced by thrombin (Li et al). 2000;32:804-13

N

Naloxone
Opioid growth factor modulates angiogenesis (Blebea et al). 2000;32:364-73

National Heart, Lung, and Blood Institute, National Institutes of Health
Lifeline Foundation and National Institutes of Health (Yao and Mannick). 2000;32:1237-8

Neck
Continued experience with physical examination alone for evaluation and management of penetrating zone 2 neck injuries: results of 145 cases (Sekharan et al). 2000;32:483-9

Neovascularization
Administration of granulocyte colony-stimulating factor enhances endothelialization and microvessel formation in small-caliber synthetic vascular grafts (Bhattacharya et al). 2000;32:116-23
Induction of angiogenesis by cationic lipid-mediated VEGF165 gene transfer in the rabbit ischemic hindlimb model (Gowdak et al). 2000;32:343-52
Opioid growth factor modulates angiogenesis (Blebea et al). 2000;32:364-73

Nephrectomy
Management of synchronous renal neoplasm and abdominal aortic aneurysm (Hafez et al). 2000;32:1102-10

Neurofibromatosis
Ruptured internal carotid aneurysm resulting from neurofibromatosis: treatment with intraluminal stent graft (Smith et al). 2000;32:824-8 (Case rep.)

Neuropeptide Y
Role of neuropeptide Y in the development of two-kidney, one-clip renovascular hypertension in the rat (Shin et al). 2000;32:1015-21

Nitric oxide
Adventitial versus intimal liposome-mediated ex vivo transfection of canine saphenous vein grafts with endothelial nitric oxide synthase gene (Kalra et al). 2000;32:1190-200

O

Obituaries; *see* In Memorium

Occupational exposure
Does the endovascular repair of aortoiliac aneurysms pose a radiation safety hazard to vascular surgeons? (Lipsitz et al). 2000;32:704-10

Opioids, endogenous; *see* Endorphins

Osteochondroma
Pseudoaneurysm of the popliteal artery caused by exostosis of the femur: case report and review of the literature (Matsushita et al). 2000;32:201-4 (Case rep.)

Outcome assessment
Clinical outcome of patients with internal carotid artery occlusion: a prospective follow-up study (Verlato et al). 2000;32:293-8
Endoleak as a predictor of outcome after endovascular aneurysm repair: AneuRx multicenter clinical trial (Zarins et al). 2000;32:90-107
Extended outcome assessment in the care of vascular diseases: revising the paradigm for the 21st century (McDaniel et al). 2000;32:1239-50
Long-term outcome after treatment of aortic graft infection with staged extra-anatomic bypass grafting and aortic graft removal (Seeger et al). 2000;32:451-61
The percutaneous Greenfield filter: outcomes and practice patterns (Greenfield and Proctor). 2000;32:888-93
Practicability and quality of outpatient management of acute deep venous thrombosis (Blättler et al). 2000;32:855-60
Reducing the risk of carotid surgery: a 7-year audit of the role of monitoring and quality control assessment (Naylor et al). 2000;32:750-9
Regarding "Emergency repair of thoracoabdominal aortic aneurysms: a word of caution on the numerical analysis of the results" (Mastroroberto et al) (Letter); (Carpenter) (Reply). 2000;32:408-9
Transcommissural valvuloplasty: technique and results (Raju et al). 2000;32:969-76
Two decades of abdominal aortic aneurysm repair: have we made any progress? (Heller et al). 2000;32:1091-1101
The value of air plethysmography in predicting clinical outcome after surgical treatment of chronic venous insufficiency (Owens et al). 2000;32:961-8

Outpatient surgery; *see* Ambulatory surgery

P

Pacemaker, artificial
Arteriovenous fistulae complicating cardiac pacemaker lead extraction: recognition, evaluation and management (Kumins et al). 2000;32:1225-8

Pancreatic diseases
Repair of a saccural aortic aneurysm with superficial femoral-popliteal vein in the presence of a pancreatic abscess (Rosen et al). 2000;32:1215-8

Pancreatic neoplasms
Acute enlargement and subsequent rupture of an abdominal aortic aneurysm in a patient receiving chemotherapy for pancreatic adenoma (Palm et al). 2000;32:192-6 (Case rep.)

Pancreatic pseudocyst
Complicated chronic pancreatitis causing mycotic aortic aneurysm: in situ replacement with a cryopreserved aortic allograft (Knosalla et al). 2000;32:1034-7
Visceral pseudoaneurysms due to pancreatic pseudocysts: rare but lethal complications of pancreatitis (Carr et al). 2000;32:722-30

Paraplegia
Prevention of paraplegia in pigs by selective segmental artery perfusion during aortic cross-clamping (Meylaerts et al). 2000;32:160-70

Patient compliance
Watchful waiting in cases of small abdominal aortic aneurysms—appropriate for all patients? (Valentine et al). 2000;32:441-50
Perfusion
Prevention of paraplegia in pigs by selective segmental artery perfusion during aortic cross-clamping (Meylaerts et al). 2000;32:160-70
Retrograde venous perfusion with hypothermic saline and adenosine for protection of the ischemic spinal cord (Parrino et al). 2000;32:171-8
Peripheral vascular diseases
Lower ankle/brachial index, as calculated by averaging the dorsalis pedis and posterior tibial arterial pressures, and association with leg functioning in peripheral arterial disease (McDermott et al). 2000;32:1164-71
Skin perfusion pressure of the foot is a good substitute for toe pressure in the assessment of limb ischemia (Tsai et al). 2000;32:32-6
Phlebography
Target selection for surgical intervention in severe chronic venous insufficiency: comparison of duplex scanning and phlebography (DePalma et al). 2000;32:913-20
Phorbol myristate acetate; *See* Tetradecanoylphorbol acetate
Phospholipases A
Plasma platelet-activating factor acetylhydrolase deficiency is associated with atherosclerotic occlusive disease in Japan (Unno et al). 2000;32:263-7
Photoplethysmography
Regarding "Photoplethysmography and calf muscle pump function after subfascial endoscopic perforator ligation" (Zamboni) (Letter); (Illig) (Reply). 2000;32:1039-40
The usefulness of laser Doppler scanning in the measurement of toe blood pressures (de Graaff et al). 2000;32:1172-9
Physical examination
Continued experience with physical examination alone for evaluation and management of penetrating zone 2 neck injuries: results of 145 cases (Sekharan et al). 2000;32:483-9
Plasma
High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm (Brunelli et al). 2000;32:531-6
Plasminogen
High accumulation of plasminogen and tissue plasminogen activator at the flow surface of mural fibrin in the human arterial system (Sasajima et al). 2000;32:374-82
Platelet activating factor
Plasma platelet-activating factor acetylhydrolase deficiency is associated with atherosclerotic occlusive disease in Japan (Unno et al). 2000;32:263-7
Platelet aggregation
Regarding "Chronic venous insufficiency is associated with increased platelet and monocyte activation and aggregation" (Manfredini and Zamboni). 2000;32:622 (Letter)
Platelet-derived growth factor
Regional differences in phorbol 12-myristate 13-acetate stimulation of PDGF production in the normal canine aorta (van Aalst et al). 2000;32:584-92
Plethysmography
The value of air plethysmography in predicting clinical outcome after surgical treatment of chronic venous insufficiency (Owens et al). 2000;32:961-8
Polytetrafluoroethylene
Carotid-subclavian bypass grafting with polytetrafluoroethylene grafts for symptomatic subclavian artery stenosis or occlusion: a 20-year experience (AbuRahma et al). 2000;32:411-9
A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study (Johnson and Lee). 2000;32:268-77
The consequences of a failed femoropopliteal bypass grafting: comparison of saphenous vein and PTFE grafts (Jackson et al). 2000;32:498-505
The effect of a venous anastomosis Tyrell vein collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis (Gagne et al). 2000;32:1149-54
Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access (Lemson et al). 2000;32:1155-63
In vivo retention of endothelial cells adenovirally transduced with tissue-type plasminogen activator and seeded onto expanded polytetrafluoroethylene (Kimura et al). 2000;32:353-63
A prospective randomized trial comparing vein with polytetrafluoroethylene in above-knee femoropopliteal bypass grafting (Burger et al). 2000;32:278-83
Regarding "The effect of venous anastomosis Tyrell vein patch collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis" and "Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access" (Freischlag). 2000;32:1235-7
Popliteal artery
The acute effects of intermittent pneumatic foot versus calf versus simultaneous foot and calf compression on popliteal artery hemodynamics: a comparative study (Delis et al). 2000;32:284-92
A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study (Johnson and Lee). 2000;32:268-77
The consequences of a failed femoropopliteal bypass grafting: comparison of saphenous vein and PTFE grafts (Jackson et al). 2000;32:498-505
Idiopathic pedunculated mural thrombus of the nonaneurysmal infrarenal aorta presenting with popliteal embolization: two cases treated with thrombolytic therapy (Dougherty et al). 2000;32:383-7 (Case rep.)
Influence of hormone replacement therapy on graft patency after femoropopliteal bypass grafting (Timaran et al). 2000;32:506-18
P values may lack power: the choice of conduit for above-knee femoropopliteal bypass graft (Mills). 2000;32:402-5 (Commentary)
A prospective randomized trial comparing vein with polytetrafluoroethylene in above-knee femoropopliteal bypass grafting (Burger et al). 2000;32:278-83
Pseudoaneurysm of the popliteal artery caused by exostosis of the femur: case report and review of the literature (Matsushita et al). 2000;32:201-4 (Case rep.)
Suggested treatment protocol for improving patency of

femoral-infrapopliteal cryopreserved saphenous vein allografts (Buckley et al). 2000;32:731-8

Popliteal vein
Differences in pressures of the popliteal, long saphenous, and dorsal foot veins (Neglén and Raju). 2000;32:894-901
Management of symptomatic and asymptomatic popliteal venous aneurysms: a retrospective analysis of 25 patients and review of the literature (Sessa et al). 2000;32:902-12
The relationship between lower limb symptoms and superficial and deep venous reflux on duplex ultrasonography: the Edinburgh Vein Study (Bradbury et al). 2000;32:921-31
Repair of a saccural aortic aneurysm with superficial femoral-popliteal vein in the presence of a pancreatic abscess (Rosen et al). 2000;32:1215-8

Postoperative complications
Adverse consequences of internal iliac artery occlusion during endovascular repair of abdominal aortic aneurysms (Karch et al). 2000;32:676-83
Arteriovenous fistulae complicating cardiac pacemaker lead extraction: recognition, evaluation and management (Kumins et al). 2000;32:1225-8
The consequences of a failed femoropopliteal bypass grafting: comparison of saphenous vein and PTFE grafts (Jackson et al). 2000;32:498-505
Cranial and cervical nerve injuries after repeat carotid endarterectomy (AbuRahma and Choueiri). 2000;32:649-54
Dacron carotid patch infection: a report of eight cases (Rizzo et al). 2000;32:602-6 (Case rep.)
Duplex ultrasound scanning versus computed tomographic angiography for postoperative evaluation of endovascular abdominal aortic aneurysm repair (Wolf et al). 2000;32:1142-8
Endoleak as a predictor of outcome after endovascular aneurysm repair: AneuRx multicenter clinical trial (Zarins et al). 2000;32:90-107
Endovascular repair of aortic allograft aneurysmal degeneration: a case report (Julia et al). 2000;32:1222-4
Incidence and risk factors of late rupture, conversion, and death after endovascular repair of infrarenal aortic aneurysms: the EUROSTAR experience (Harris et al). 2000;32:739-49
Long-term fate of the aneurysmal sac after endoluminal exclusion of abdominal aortic aneurysms (Rhee et al). 2000;32:689-96
Management of synchronous renal neoplasm and abdominal aortic aneurysm (Hafez et al). 2000;32:1102-10
Prospective screening for postoperative deep venous thrombosis in patients undergoing infrainguinal revascularization (Passman et al). 2000;32:669-75
Pulsatile wall motion and blood pressure in aneurysms with open and thrombosed endoleaks—comparison of a wall track system and M-mode ultrasound scanning: an in vitro and animal study (Schurink et al). 2000;32:795-803
Reducing the risk of carotid surgery: a 7-year audit of the role of monitoring and quality control assessment (Naylor et al). 2000;32:750-9
Relationship between preoperative patency of the inferior mesenteric artery and subsequent occurrence of type II endoleak in patients undergoing endovascular repair of abdominal aortic aneurysms (Valazquez et al). 2000;32:777-88

Practice guidelines
Joint Council guidelines for disclosure of conflict of interest (Johnston et al). 2000;32:213-15 (Editorial)

Pregnancy
Pregnancy-induced changes in lower extremity superficial veins: an ultrasound scan study (Boivin et al). 2000;32:570-4

Premedication
Dipyridamole-thallium/sestamibi before vascular surgery: a prospective blinded study in moderate-risk patients (de Virgilio et al). 2000;32:77-89

Pressure
Compression and walking versus bed rest in the treatment of proximal deep venous thrombosis with low molecular weight heparin (Partsch and Blättler). 2000;32:861-9
The efficacy of the SCD Response Compression system in the presence of venous stasis (Kakkos et al). 2000;32:932-40
External pneumatic compression and fibrinolysis in abdominal surgery (Cahan et al). 2000;32:537-43
Laparoscopic release of celiac artery compression syndrome facilitated by laparoscopic ultrasound scanning to confirm restoration of flow (Roayaie et al). 2000;32:814-7 (Case rep.)

Procollagen
Increased amount of type III pN-collagen in human abdominal aortic aneurysms: evidence for impaired type III collagen fibrillogenesis (Bode et al). 2000;32:1201-7

Pseudoaneurysm; *see* Aneurysm, false

Pulmonary embolism
Lessons learned from a 6-year clinical experience with superior vena cava Greenfield filters (Ascher et al). 2000;32:881-7

Q

Quality of life
Catheter-directed thrombolysis for iliofemoral deep venous thrombosis improves health-related quality of life (Comerota et al). 2000;32:124-9

R

Radiation protection
Does the endovascular repair of aortoiliac aneurysms pose a radiation safety hazard to vascular surgeons? (Lipsitz et al). 2000;32:704-10

Recurrent laryngeal nerve
Nonrecurrent laryngeal nerve during carotid artery surgery: case report and literature review (Coady et al). 2000;32:192-6 (Case rep.)

Renal artery
Aneurysmal degeneration and late rupture of an aortorenal vein graft: case report, review of the literature, and implications for conduit selection (Travis et al). 2000;32:606-11 (Case rep.)
De novo renal artery aneurysm presenting 6 years after transplantation: a complication of recurrent arterial stenosis? (Burkey et al). 2000;32:388-91 (Case rep.)
Incidence and risk factors of late rupture, conversion, and death after endovascular repair of infrarenal aortic aneurysms: the EUROSTAR experience (Harris et al). 2000;32:739-49
Management of ischemic nephropathy: dialysis-free survival after surgical repair (Hansen et al). 2000;32:472-82
Surgical treatment of recurrent abdominal aortic aneurysm in a patient with systemic lupus erythematosus (Washiyama et al). 2000;32:209-12 (Case rep.)
Transrenal fixation of aortic stent-grafts for the treatment of infrarenal aortic aneurysmal disease (Bove et al). 2000;32:697-703

Renal artery obstruction
Renal duplex sonography: main renal artery versus hilar analysis (Motew et al). 2000;32:462-71

Renal vein
Aneurysmal degeneration and late rupture of an aortorenal vein graft: case report, review of the literature, and implications for conduit selection (Travis et al). 2000;32:606-11 (Case rep.)

Revascularization
Aneurysmal degeneration and late rupture of an aortorenal vein graft: case report, review of the literature, and implications for conduit selection (Travis et al). 2000;32:606-11 (Case rep.)
A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study (Johnson and Lee). 2000;32:268-77
A comparative study of alternative conduits for lower extremity revascularization: all-autogenous conduit versus prosthetic grafts (Faries et al). 2000;32:1080-90
An economic appraisal of lower extremity bypass graft maintenance (Wixon et al). 2000;32:1-12
Pedal branch artery bypass: a viable limb salvage option (Connors et al). 2000;32:1071-9
Prospective screening for postoperative deep venous thrombosis in patients undergoing infrainguinal revascularization (Passman et al). 2000;32:669-75
Revascularization of the superior mesenteric artery alone for treatment of intestinal ischemia (Foley et al). 2000;32:37-47

Rheology
Endothelial cell response to different mechanical forces (Azuma et al). 2000;32:789-94

Riluzole
Prevention of ischemic spinal cord injury: comparative effects of magnesium sulfate and riluzole (Lang-Lazdunski et al). 2000;32:179-89

Risk factors
Factors predicting prolonged length of stay after carotid endarterectomy (Estes et al). 2000;32:550-4
Watchful waiting in cases of small abdominal aortic aneurysms—appropriate for all patients? (Valentine et al). 2000;32:441-50

S

Saphenous vein
Adventitial versus intimal liposome-mediated ex vivo transfection of canine saphenous vein grafts with endothelial nitric oxide synthase gene (Kalra et al). 2000;32:1190-200
A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study (Johnson and Lee). 2000;32:268-77
The consequences of a failed femoropopliteal bypass grafting: comparison of saphenous vein and PTFE grafts (Jackson et al). 2000;32:498-505
Deep venous thrombosis and superficial venous reflux (Meissner et al). 2000;32:48-56
Defining the role of extended saphenofemoral junction ligation: a prospective comparative study (Chandler et al). 2000;32:941-53
Differences in pressures of the popliteal, long saphenous, and dorsal foot veins (Neglén and Raju). 2000;32:894-901
Endovenous management of saphenous vein reflux (Manfrini et al). 2000;32:330-42
The impact of isolated lesser saphenous vein system incompetence on clinical signs and symptoms of chronic venous disease (Labropoulos et al). 2000;32:954-60
Suggested treatment protocol for improving patency of femoral-infrapopliteal cryopreserved saphenous vein allografts (Buckley et al). 2000;32:731-8

Scleroderma, systemic
Management of leg ulcers in patients with rheumatoid arthritis or systemic sclerosis: the importance of concomitant arterial and venous disease (Hafner et al). 2000;32:322-9

Sex factors
The influence of gender on outcome after ruptured abdominal aortic aneurysm (Evans et al). 2000;32:258-62

Society for Clinical Vascular Surgery
Presidential address: Where science touches man, it turns to art (Gloviczki). 2000;32:627-33

Society for Vascular Surgery
The distinguished service award for the Society for Vascular Surgery, 2000: D. Emerick Szilagyi (Towne). 2000;32:829-30 (Editorial)
Joint Council guidelines for disclosure of conflict of interest (Johnston et al). 2000;32:213-15 (Editorial)

Specialties, medical
The case for an independent American Board of Vascular Surgery (Veith). 2000;32:619-21

Spinal cord injuries
Prevention of ischemic spinal cord injury: comparative effects of magnesium sulfate and riluzole (Lang-Lazdunski et al). 2000;32:179-89
Retrograde venous perfusion with hypothermic saline and adenosine for protection of the ischemic spinal cord (Parrino et al). 2000;32:171-8

Staphylococcal infections
Early experience with infectious complications of percutaneous femoral artery closure devices (Pipkin et al). 2000;32:205-8 (Case rep.)

Stents
Complicated emergent endovascular repair of a life-threatening bilateral internal jugular vein occlusion (Kwei et al). 2000;32:397-401 (Case rep.)
Crushed stents in benign left brachiocephalic vein stenoses (Hammer et al). 2000;32:392-6 (Case rep.)
Endovascular procedures under near-real-time magnetic resonance imaging guidance: an experimental feasibility study (Dion et al). 2000;32:1006-14
Endovascular repair of abdominal aortic aneurysms: eligibility rate and impact on the rate of open repair (Wolf et al). 2000;32:519-23
Initial evaluation of carotid angioplasty and stenting with three different cerebral protection devices (Parodi et al). 2000;32:1127-36
Intraoperative use of stents for the management of unacceptable distal internal carotid artery end points during carotid endarterectomy: short-term and midterm results (Ross and Ranval). 2000;32:420-8
Predicting outcome of angioplasty and selective stenting of multisegment iliac artery occlusive disease (Powell et al). 2000;32:564-9

Ruptured internal carotid aneurysm resulting from neurofibromatosis: treatment with intraluminal stent graft (Smith et al). 2000;32:824-8 (Case rep.)
Stent placement for treatment of central and peripheral venous obstruction: a long-term multi-institutional experience (Oderich et al). 2000;32:760-9
Transrenal fixation of aortic stent-grafts for the treatment of infrarenal aortic aneurysmal disease (Bove et al). 2000;32:697-703

Stroke; *see* Cerebrovascular disorders

Subclavian artery
Carotid-subclavian bypass grafting with polytetrafluoroethylene grafts for symptomatic subclavian artery stenosis or occlusion: a 20-year experience (AbuRahma et al). 2000;32:411-9
Kommerell's diverticulum and aneurysmal right-sided aortic arch: a case report and review of the literature (Cinà et al). 2000;32:1208-14
Subclavian artery disruption resulting from endovascular intervention: treatment options (Lin et al). 2000;32:606-11 (Case rep.)

Subclavian vein
Claviculectomy for subclavian venous repair: long-term functional results (Green et al). 2000;32:315-21
Surgical intervention is not required for all patients with subclavian vein thrombosis (Lee et al). 2000;32:57-67

Surgical flaps
Free tissue transfer provides durable treatment for large nonhealing venous ulcers (Kumins et al). 2000;32:848-54

Szilagyi, D. Emerick
The distinguished service award for the Society for Vascular Surgery, 2000: D. Emerick Szilagyi (Towne). 2000;32:829-30 (Editorial)

T

Technetium Tc 99m sestamibi
Dipyridamole-thallium/sestamibi before vascular surgery: a prospective blinded study in moderate-risk patients (de Virgilio et al). 2000;32:77-89

Tetradecanoylphorbol acetate
Regional differences in phorbol 12-myristate 13-acetate stimulation of PDGF production in the normal canine aorta (van Aalst et al). 2000;32:584-92

Thallium
Dipyridamole-thallium/sestamibi before vascular surgery: a prospective blinded study in moderate-risk patients (de Virgilio et al). 2000;32:77-89

Thrombin
Anaphylaxis after thrombin injection of a femoral pseudoaneurysm: recommendations for prevention (Pope and Johnston). 2000;32:190-1 (Case rep.)
Intracellular calcium response of endothelial cells exposed to flow in the presence of thrombin or histamine (Worthen and Nollert). 2000;32:593-601
Recombinant thrombomodulin inhibits arterial smooth muscle cell proliferation induced by thrombin (Li et al). 2000;32:804-13

Thromboembolism
Distal emboli as an unusual late complication of a thrombosed arteriovenous hemodialysis graft (Yang et al). 2000;32:1229-31
Idiopathic pedunculated mural thrombus of the nonaneurysmal infrarenal aorta presenting with popliteal embolization: two cases treated with thrombolytic therapy (Dougherty et al). 2000;32:383-7 (Case rep.)
Immediate reexploration for the perioperative neurologic event after carotid endarterectomy: is it worthwhile? (Rockman et al). 2000;32:1062-70

Thrombolytic therapy
Catheter-directed thrombolysis for iliofemoral deep venous thrombosis improves health-related quality of life (Comerota et al). 2000;32:124-9
Claviculectomy for subclavian venous repair: long-term functional results (Green et al). 2000;32:315-21
Idiopathic pedunculated mural thrombus of the nonaneurysmal infrarenal aorta presenting with popliteal embolization: two cases treated with thrombolytic therapy (Dougherty et al). 2000;32:383-7 (Case rep.)
Surgical intervention is not required for all patients with subclavian vein thrombosis (Lee et al). 2000;32:57-67

Thrombomodulin
Recombinant thrombomodulin inhibits arterial smooth muscle cell proliferation induced by thrombin (Li et al). 2000;32:804-13

Thrombophlebitis
Catheter-directed thrombolysis for iliofemoral deep venous thrombosis improves health-related quality of life (Comerota et al). 2000;32:124-9
Compression and walking versus bed rest in the treatment of proximal deep venous thrombosis with low molecular weight heparin (Partsch and Blättler). 2000;32:861-9
Deep venous thrombosis and superficial venous reflux (Meissner et al). 2000;32:48-56
The efficacy of the SCD Response Compression system in the presence of venous stasis (Kakkos et al). 2000;32:932-40
Markers of plasma coagulation and fibrinolysis after acute deep venous thrombosis (Meissner et al). 2000;32:870-80
Practicability and quality of outpatient management of acute deep venous thrombosis (Blättler et al). 2000;32:855-60
Prospective screening for postoperative deep venous thrombosis in patients undergoing infrainguinal revascularization (Passman et al). 2000;32:669-75
Surgical intervention is not required for all patients with subclavian vein thrombosis (Lee et al). 2000;32:57-67

Thrombosis
High accumulation of plasminogen and tissue plasminogen activator at the flow surface of mural fibrin in the human arterial system (Sasajima et al). 2000;32:374-82
Vascular endothelial growth factor and basic fibroblast growth factor are found in resolving venous thrombi (Waltham et al). 2000;32:988-96

Tissue-type plasminogen activator; *see* Alteplase

Toes
The usefulness of laser Doppler scanning in the measurement of toe blood pressures (de Graaff et al). 2000;32:1172-9

Tomography, x-ray computed
Duplex ultrasound scanning versus computed tomographic angiography for postoperative evaluation of endovascular abdominal aortic aneurysm repair (Wolf et al). 2000;32:1142-8
Rate of change in abdominal aortic aneurysm diameter after endovascular repair (Wolf et al). 2000;32:108-15

Transduction, genetic
In vivo retention of endothelial cells adenovirally transduced with tissuetype plasminogen activator and seeded onto expanded

polytetrafluoroethylene (Kimura et al). 2000;32:353-63

Transfection

Adventitial versus intimal liposome-mediated ex vivo transfection of canine saphenous vein grafts with endothelial nitric oxide synthase gene (Kalra et al). 2000;32:1190-200

Trauma; *see* Wounds and injuries

Treatment outcome

Frequency of postoperative carotid duplex surveillance and type of closure: results from a randomized trial (AbuRahma et al). 2000;32:1043-51

U

Ultrasonography

Pulsatile wall motion and blood pressure in aneurysms with open and thrombosed endoleaks—comparison of a wall track system and M-mode ultrasound scanning: an in vitro and animal study (Schurink et al). 2000;32:795-803

Ultrasound, Doppler, duplex

Duplex ultrasound scanning versus computed tomographic angiography for postoperative evaluation of endovascular abdominal aortic aneurysm repair (Wolf et al). 2000;32:1142-8

Frequency of postoperative carotid duplex surveillance and type of closure: results from a randomized trial (AbuRahma et al). 2000;32:1043-51

Laparoscopic release of celiac artery compression syndrome facilitated by laparoscopic ultrasound scanning to confirm restoration of flow (Roayaie et al). 2000;32:814-7 (Case rep.)

Magnetic resonance angiography is an accurate imaging adjunct to duplex ultrasound scan in patient selection for carotid endarterectomy (Back et al). 2000;32:429-40

Pregnancy-induced changes in lower extremity superficial veins: an ultrasound scan study (Boivin et al). 2000;32:570-4

Prevalence of deep venous reflux in patients with primary superficial vein incompetence (Labropoulos et al). 2000;32:663-8

The relationship between lower limb symptoms and superficial and deep venous reflux on duplex ultrasonography: the Edinburgh Vein Study (Bradbury et al). 2000;32:921-31

The relationship between the number, competence, and diameter of medial calf perforating veins and the clinical status in healthy subjects and patients with lower-limb venous disease (Stuart et al). 2000;32:124-9

Renal duplex sonography: main renal artery versus hilar analysis (Motew et al). 2000;32:462-71

Surgical intervention is not required for all patients with subclavian vein thrombosis (Lee et al). 2000;32:57-67

Target selection for surgical intervention in severe chronic venous insufficiency: comparison of duplex scanning and phlebography (DePalma et al). 2000;32:913-20

Umbilical vein

A comparative evaluation of polytetrafluoroethylene, umbilical vein, and saphenous vein bypass grafts for femoral-popliteal above-knee revascularization: a prospective randomized Department of Veterans Affairs cooperative study (Johnson and Lee). 2000;32:268-77

Upper extremity; *see* Arm

Uteroglobin

Adenoviral-mediated uteroglobin gene transfer inhibits neointimal hyperplasia after balloon injury in the rat carotid artery (Larson et al). 2000;32:1111-7

V

Varicose ulcer

Free tissue transfer provides durable treatment for large nonhealing venous ulcers (Kumins et al). 2000;32:848-54

Varicose veins

Defining the role of extended saphenofemoral junction ligation: a prospective comparative study (Chandler et al). 2000;32:941-53

High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women (Ciardullo et al). 2000;32:544-9

Pregnancy-induced changes in lower extremity superficial veins: an ultrasound scan study (Boivin et al). 2000;32:570-4

Presidential address: entering the third millennium (Sumner). 2000;32:833-9

Vascular diseases

Extended outcome assessment in the care of vascular diseases: revising the paradigm for the 21st century (McDaniel et al). 2000;32:1239-50

Presidential address: entering the third millennium (Sumner). 2000;32:833-9

Vascular patency

Autogenous arterial bypass grafts: durable patency and limb salvage in patients with inframalleolar occlusive disease and end-stage renal disease (Trieman et al). 2000;32:13-22

A comparative study of alternative conduits for lower extremity revascularization: all-autogenous conduit versus prosthetic grafts (Faries et al). 2000;32:1080-90

Complicated emergent endovascular repair of a life-threatening bilateral internal jugular vein occlusion (Kwei et al). 2000;32:397-401 (Case rep.)

An economic appraisal of lower extremity bypass graft maintenance (Wixon et al). 2000;32:1-12

The effect of a venous anastomosis Tyrell vein collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis (Gagne et al). 2000;32:1149-54

Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access (Lemson et al). 2000;32:1155-63

Improving longevity of prosthetic dialysis grafts in patients with disadvantaged venous outflow (Wladis et al). 2000;32:997-1005

Incidentally detected stenoses proximal to grafts originating below the common femoral artery: do they affect graft patency or warrant repair in asymptomatic patients? (Treiman et al). 2000;32:1180-9

Influence of hormone replacement therapy on graft patency after femoropopliteal bypass grafting (Timaran et al). 2000;32:506-18

P values may lack power: the choice of conduit for above-knee femoropopliteal bypass graft (Mills). 2000;32:402-5 (Commentary)

Patency and characteristics of lower extremity vein grafts requiring multiple revisions (Landry et al). 2000;32:23-31

Pulsatile wall motion and blood pressure in aneurysms with open and thrombosed endoleaks—comparison of a wall track system and M-mode ultrasound scanning: an in vitro and animal study (Schurink et al). 2000;32:795-803

Regarding "The effect of venous anastomosis Tyrell vein patch collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis" and "Effects of a

venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access" (Freischlag). 2000;32:1235-7
Regarding "Endovascular versus surgical treatment for thrombosed hemodialysis: a prospective, randomized study" (Farner) (Letter); (Dougherty) (Reply). 2000;32:1038-9
Relationship between preoperative patency of the inferior mesenteric artery and subsequent occurrence of type II endoleak in patients undergoing endovascular repair of abdominal aortic aneurysms (Valazquez et al). 2000;32:777-88
Stent placement for treatment of central and peripheral venous obstruction: a long-term multi-institutional experience (Oderich et al). 2000;32:760-9
Suggested treatment protocol for improving patency of femoral-infrapopliteal cryopreserved saphenous vein allografts (Buckley et al). 2000;32:731-8

Vascular surgery
The case for an independent American Board of Vascular Surgery (Veith). 2000;32:619-21
Extended outcome assessment in the care of vascular diseases: revising the paradigm for the 21st century (McDaniel et al). 2000;32:1239-50
Management of symptomatic and asymptomatic popliteal venous aneurysms: a retrospective analysis of 25 patients and review of the literature (Sessa et al). 2000;32:902-12
Presidential address: Where science touches man, it turns to art (Gloviczki). 2000;32:627-33

Vascular surgical procedures
Alternative techniques for management of distal anastomoses of aortofemoral and iliofemoral endovascular grafts (Wain et al). 2000;32:307-14
Aortic fenestration for acute or chronic aortic dissection: an uncommon but effective procedure (Panneton et al). 2000;32:711-21
Banding of the common iliac artery: an expedient in endoluminal correction of aortoiliac aneurysms (Puech-Leão). 2000;32:1232-4
Early inflammatory response after elective abdominal aortic aneurysm repair: a comparison between endovascular procedure and conventional surgery (Galle et al). 2000;32:234-46
Enabling sutureless vascular bypass grafting with the exovascular sleeve anastomosis (Chang et al). 2000;32:524-30
Endovascular procedures under near-real-time magnetic resonance imaging guidance: an experimental feasibility study (Dion et al). 2000;32:1006-14
Eversion endarterectomy of the carotid artery: technical considerations and recurrent stenoses (Green et al). 2000;32:1052-61
Frequency of postoperative carotid duplex surveillance and type of closure: results from a randomized trial (AbuRahma et al). 2000;32:1043-51
Initial evaluation of carotid angioplasty and stenting with three different cerebral protection devices (Parodi et al). 2000;32:1127-36
Laparoscopic-assisted abdominal aortic aneurysmectomy (Castronuovo et al). 2000;32:224-33
Midline retroperitoneal versus midline transperitoneal approach for abdominal aortic aneurysm repair (Nakajima et al). 2000;32:219-23
Percutaneous endovascular repair of infrarenal abdominal aortic aneurysms: a feasibility study (Traul et al). 2000;32:770-6
Surgical treatment of venous malformations in Klippel-Trénaunay syndrome (Noel et al). 2000;32:840-7
Transcommissural valvuloplasty: technique and results (Raju et al). 2000;32:969-76

Veins
Pregnancy-induced changes in lower extremity superficial veins: an ultrasound scan study (Boivin et al). 2000;32:570-4
The relationship between the number, competence, and diameter of medial calf perforating veins and the clinical status in healthy subjects and patients with lower-limb venous disease (Stuart et al). 2000;32:124-9

Vena cava filters
Bedside carbon dioxide cavagrams for inferior vena cava filters: preliminary results (Sing et al). 2000;32:144-7
Lessons learned from a 6-year clinical experience with superior vena cava Greenfield filters (Ascher et al). 2000;32:881-7
The percutaneous Greenfield filter: outcomes and practice patterns (Greenfield and Proctor). 2000;32:888-93
Prophylactic vena caval filters in trauma: the rest of the story (Greenfield et al). 2000;32:490-7

Venous insufficiency
Bypass graft to the contralateral internal jugular vein for venous outflow obstruction of a functioning hemodialysis access fistula (Myers and Mukherjee). 2000;32:818-20 (Case rep.)
Complicated emergent endovascular repair of a life-threatening bilateral internal jugular vein occlusion (Kwei et al). 2000;32:397-401 (Case rep.)
Improving longevity of prosthetic dialysis grafts in patients with disadvantaged venous outflow (Wladis et al). 2000;32:997-1005
Prevalence of deep venous reflux in patients with primary superficial vein incompetence (Labropoulos et al). 2000;32:663-8
Regarding "Chronic venous insufficiency is associated with increased platelet and monocyte activation and aggregation" (Manfredini and Zamboni). 2000;32:622 (Letter)
The relationship between the number, competence, and diameter of medial calf perforating veins and the clinical status in healthy subjects and patients with lower-limb venous disease (Stuart et al). 2000;32:124-9
Stent placement for treatment of central and peripheral venous obstruction: a long-term multi-institutional experience (Oderich et al). 2000;32:760-9
Target selection for surgical intervention in severe chronic venous insufficiency: comparison of duplex scanning and phlebography (DePalma et al). 2000;32:913-20
The value of air plethysmography in predicting clinical outcome after surgical treatment of chronic venous insufficiency (Owens et al). 2000;32:961-8

Venous pressure
The acute effects of intermittent pneumatic foot versus calf versus simultaneous foot and calf compression on popliteal artery hemodynamics: a comparative study (Delis et al). 2000;32:284-92
Crushed stents in benign left brachiocephalic vein stenoses (Hammer et al). 2000;32:392-6 (Case rep.)
Deep venous thrombosis and superficial venous reflux (Meissner et al). 2000;32:48-56
Differences in pressures of the popliteal, long saphenous, and dorsal foot veins (Neglén and Raju). 2000;32:894-901

The efficacy of the SCD Response Compression system in the presence of venous stasis (Kakkos et al). 2000;32:932-40
Endovenous management of saphenous vein reflux (Manfrini et al). 2000;32:330-42
The impact of isolated lesser saphenous vein system incompetence on clinical signs and symptoms of chronic venous disease (Labropoulos et al). 2000;32:954-60
An in vitro cell culture system to study the influence of external pneumatic compression on endothelial function (Dai et al). 2000;32:977-87
Prevalence of deep venous reflux in patients with primary superficial vein incompetence (Labropoulos et al). 2000;32:663-8
The relationship between lower limb symptoms and superficial and deep venous reflux on duplex ultrasonography: the Edinburgh Vein Study (Bradbury et al). 2000;32:921-31
Transcommissural valvuloplasty: technique and results (Raju et al). 2000;32:969-76

Venous thrombosis; *see* Thrombophlebitis
Venous ulcer; *see* Varicose ulcer

W

Walking
Compression and walking versus bed rest in the treatment of proximal deep venous thrombosis with low molecular weight heparin (Partsch and Blättler). 2000;32:861-9

Wounds, penetrating
Continued experience with physical examination alone for evaluation and management of penetrating zone 2 neck injuries: results of 145 cases (Sekharan et al). 2000;32:483-9

Wounds and injuries
Prophylactic vena caval filters in trauma: the rest of the story (Greenfield et al). 2000;32:490-7